

Page 1 of 6

MSDS-E-GX100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 3.0

MSDS Revision Date: 08/22/2012

1. PRODUCT IDENTIFICATION

1.1 Product Name:

DeoxIT® Gold Gx-SERIES (P/N GX100L)

1.2 Chemical Name:

See ingredients listed in section 3

1.3 Synonyms:

1.4

1.5

DeoxIT® Gold GX100L

Trade Names

DeoxIT® Gold GX100L (see list below)

Product Use

Conditioner, enhancer for plated and gold plated electronic contacts & connectors

1.6 Manufacturer's Name

CAIG Laboratories, Inc.

1.7 Manufacturer's Address:

12200 Thatcher Court, Poway, CA 92064-6876 USA

1.8 Emergency Phone:

CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887

1.9 Business Phone:

+1 (800)-224-4123

1.10 Other Product Names:

Deoxit® Gold GX100L, 2 ml (Part No. GX100L-2C, GX100L-2CP); Deoxit® Gold GX100L, 2.3 ml (Part No. GX100L-58D); Deoxit® Gold GX100L, 7.4 ml (Part No. GX100L-2DB); Deoxit® Gold GX100L, 12 ml (Part No. GX100L-12C); Deoxit® Gold GX100L, 25 ml (Part No. GX100L-25C); Deoxit® Gold GX100L, 59 ml (Part No. GX100L-2); Deoxit® Gold GX100L, 236 ml (Part No. GX100L-8); Deoxit® Gold GX100L, 354 ml (Part No. GX100L-12); Deoxit® Gold GX100L, 472 ml (Part No. GX100L-16); Deoxit® Gold GX100L, 944 ml (Part No. GX100L-32); Deoxit® Gold GX100L, 30 L (Part No. GX100L-8G)

2. HAZARD IDENTIFICATION

2.1 Hazard Identification:

This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008(2004) and ADG Code (Australia). DeoxIT® GX100L is non-volatile, non-hazardous and non-flammable. WARNING! Causes eye irritation.

Hazard Statements (H): H320 - Causes eye irritation.

<u>Precautionary Statements</u> (P): P280 – Wear protective eyewear. P302 + P352 – IF ON SKIN – Wash with plenty of soap and water. P312 – Call a Poison Control Center or doctor/physician if you feel unwell. P333 + P313 – If skin irritation or rash occurs, get medical advise/attention. P321 – Refer to section 4 of this Safety Data Sheet (First Aid). P305+P351+P338 – IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P337 + P313 – If eye irritation persists, get medical advice/attention.

2.2 Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES

2.3 Effects of Exposure:

EYES: Can cause irritation, tearing, and temporary blurred vision.

SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis

(localized redness or rash).

INGESTION: Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation.

INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary

irritating to the eyes, nose, throat, and the respiratory tract; may cause temporary headaches and dizziness.

2.4 Symptoms of Overexposure

EYES: Can cause temporary irritation, tearing, and blurred vision.

SKIN: Non-irritating when used as directed. Prolonged or repeated contact may cause temporary contact dermatitis

(localized redness or rash).

INGESTION: Not probable. Small amounts if swallowed may cause temporary gastrointestinal irritation.

INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary

irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness.

2.5 Acute Health Effects:

EYES: None reported when used as directed. Mild to moderate transient (temporary) irritation.

SKIN: Unlikely when used as directed. Repeated exposure at site of contact may cause temporary contact dermatitis

(localized redness or rash).

INGESTION: Not probable. Small amount may cause temporary gastrointestinal irritation and central nervous system depression.

INHALATION: Unlikely route of exposure. Should vapor concentrations exceed recommended exposure levels, they are temporary

irritating to the eyes, nose, throat, and the respiratory tract; may cause headaches and dizziness.

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.



CAIG SAFETY DATA SHEET

Page 2 of 6

MSDS-E-GX100L

	LABORATORIES, INC.													
Prep	ared to OSHA, ACC, ANSI, N	OHSC, WHMIS, 2001	/58/EC & 1272/	'2008/EC Standa	ırds M	SDS Rev	ision: 3.	0	MSE	OS Revisio	n Date	e: 08/22,	/2012	
		2.	HAZARD	IDENTIFIC	CATIO	V (cc	ntin	ued))					
2.6	Chronic Health Effects: None reported by the r	manufacturer.				•								
2.7	Target Organs:													
	Eyes													
		3. CC	MPOSITION	ON & ING	REDIE	NT IN	FOR	MAT	ION					
								EXP	OSUR	LIMITS	IN AIR	(mg/ı	m³)	
						AC	GIH		NOHS	ပ		OSHA		
						pp	m		ppm			ppm	1	OTHER
								ES-	ES-	ES-				
	MICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA		PEAK	PEL	STEL	IDLH	
реох	kIT® Gold Gx-Series, GX10	or litage secret			100.0	NE	NE	NF	NF	NF	NE	NE	NE	<u> </u>
			4.	FIRST AID	MEAS	URES								
4.1	First Aid:													
	EYES: Flush	eyes thoroughly	with copious	amounts of w	ater for a	at least	15 mii	nutes,	holdin	g eyeli	d(s) or	pen to	ensure	complete
		ing. If irritation pe												
		ove contaminate										ı persi	sts, se	ek prompt
		lical attention. Do			_					-	ined.			
		ot induce vomitin	_											
		ove victim to fre lical attention. If I						iter su	pplen	nental d	oxygei	n and	seek	immediate
4.2	Medical Conditions Aggravate		oreaning sto	ps, periorii an	illiciai ie.	phano								
	None reported by the r							HEA						0
								FLA/	MM/	ABILIT	Υ			0
								PHY	SICA	AL HA	ZAR	DS		0
								PRO	TEC	TIVE E	:QUI	PME	NT	Α
								EYES						
	<u> </u>						•		•				•	
	T		5. FI	REFIGHTIN	IG ME	<u> ASUR</u>	ES							
5.1	Flashpoint & Method:													
5.2	> 280 °C (536 °F)													_
J.Z	Autoignition Temperature:													
5.3	Flammability Limits:		Lower Explo	osive Limit (LEL):	ND		Upper	· Explo	sive Lim	nit (UEL		N	 D
5.4	Fire & Explosion Hazards:			,	<i>T</i>	<u> </u>		- 1- 1-					ı	
	Carbon dioxide, carbo	n monoxide, hyd	rocarbons.											
5.5	Extinguishing Methods:													
	CO ₂ , Alcohol foam, Dry	Chemical, Wate	r Fog											
5.6	Firefighting Procedures:												0	0
	Wear NIOSH/MSHA app													
	cool containers involve contact should be coo													
	Keep containers cool													
	from entering sewers, o													



Page 3 of 6

MSDS-E-GX100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 3.0

MSDS Revision Date: 08/22/2012

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:

Ventilate if in enclosed area. Secure spill area, remove or minimize all sources of ignition, and maximize ventilation. Wipe and rinse with water. Deny entry to all unprotected individuals. Individuals involved in the cleanup must wear appropriate personal protective equipment.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Wash hands thoroughly after using this product and before eating, drinking, or smoking. Remove soiled clothing to prevent prolonged skin contact.

7.2 Storage & Handling:

Use and store in a cool, dry, well-ventilated area. Do not store near or with any incompatible materials listed in section 10. Open containers may change concentrations, keep tightly closed when not in use. Normal shelf life 2-3 years.

7.3 Special Precautions:

Empty containers may contain product residues.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls:

Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).

8.2 Respiratory Protection:

None required, when used with adequate ventilation.

8.3 Eye Protection:

Wear safety glasses with side shields (ANSI Z87) under normal use conditions.

8.4 Hand Protection:

None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. In such cases, wear rubber or impervious plastic gloves.

8.5 Body Protection:

Use as necessary to prevent skin contact.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	0.72	
9.2	Boiling Point:	> 240 °C (464 °F)	
9.3	Melting Point:	NA	
9.4	Evaporation Rate:	NA	
9.5	Vapor Pressure:	< 0.01 mm Hg @ 20 °C (68 °F)	
9.6	Molecular Weight:	NA	
9.7	Appearance & Color:	Light yellow/amber	
9.8	Odor Threshold:	Ethereal/hydrocarbon odor	
9.9	Solubility:	Not soluble in water	
9.10	Ph	NA	
9.11	Viscosity:	5.4 – 7.5 cSt @ 104 °F	
9.12	VOC (g/L):	None	
9.13	Other Information:	NA	

10. STABILITY & REACTIVITY

10.1 Stability:

Stable under normal conditions of use (see section 7).

10.2 Hazardous Decomposition Products:

Change in color signifies exposure to ultraviolet light or exceeding shelf life. Will not degrade to unstable products. Discard solution.

10.3 Hazardous Polymerization:

Will not occur.

10.4 Conditions to Avoid:

Use or storage near open flames, sparks, high heat (>100 °F) or other heat sources, and proximity to incompatible substances and heavily trafficked areas.

10.5 Incompatible Substances:

Strong oxidizers.



Page 4 of 6

MSDS-E-GX100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards MSDS Revision: 3.0 MSDS Revision Date: 08/22/2012

		11. TOXICOLOGICAL INFORMATION		
11.1		tested on animals to obtain toxicological data. There are toxicology data for the componitic literature. These data have not been presented in this document.	ponents of this product,	
11.2	Acute Toxicity:			
11.3	See section 3.5 Chronic Toxicity:			
11.5	Chronic Toxicity: See section 3.6			
11.4	Suspected Carcinogen:			
	No			
11.5	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.		
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.		
11.6	Irritancy of Product:	This product is not reported to produce reproductive effects in normalis.		
	See Section 3.3			
11.7	Biological Exposure Indices:			
	NA			
11.8	Physician Recommendations: Treat symptomatically.			
	,			
		12. ECOLOGICAL INFORMATION		
12.1	Environmental Stability:	12. LCOLOGICAL INFORMATION		
12.1	Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.			
12.2	Effects on Plants & Animals:	mic norm son. Components of this product will storry decompose this organic compositi	uu.	
	There is no specific data available for this product.			
12.3	Effects on Aquatic Life:			
	Releases of large volumes of this product are expected to be harmful or fatal to overexposed aquatic life.			
		13. DISPOSAL CONSIDERATIONS		
13.1	Waste Disposal:			
	Dispose of in accordance w	rith federal, state or local regulations.		
13.2	Special Considerations:	-		
	NA			
		14. TRANSPORTATION INFORMATION		
		r, proper shipping name, hazard class & division, packing group) is shown for each m	node of transportation.	
Add	tional descriptive information	may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.		
14.1	49 CFR (GND): NOT REGULATED			
14.2	IATA (AIR):			
	NOT REGULATED			
14.3	IMDG (OCN):			
	NOT REGULATED			
14.4	TDGR (Canadian GND):			
	NOT REGULATED			
14.5				
141	NOT REGULATED			
14.6	SCT (MEXICO):			
14.7	NOT REGULATED ADGR (AUS):			
17./	NOT REGULATED			



Page 5 of 6

MSDS-E-GX100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 3.0

MSDS Revision Date: 08/22/2012

		15. REGULATORY INFORMATION				
15.1	SARA Reporting Requirements: NA					
15.2	SARA Threshold Planning Quantity:					
15.3	TSCA Inventory Status:					
	All chemical substances of this product of	are listed on the TSCA inventory or are otherwise exempt from inventory sta	tus.			
15.4	CERCLA Reportable Quantity (RQ): NA					
15.5	Other Federal Requirements:					
	NA					
15.6	the MSDS contains all of the information					
15.7	Right to Know List of Chemicals; New Jer A; Wisconsin Hazardous Substances List					
15.8	The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC. DeoxIT® GX100L is non-volatile, non-hazardous and non-flammable. WARNING! Causes eye irritation. Hazard Statements (H): H320 – Causes eye irritation. Precautionary Statements (P): P280 – Wear protective eyewear. P302 + P352 – IF ON SKIN – Wash with plenty of soap and water. P312 – Call a Poison Control Center or doctor/physician if you feel unwell. P333 + P313 – If skin irritation or rash occurs, get medical advise/attention. P321 – Refer to section 4 of this Safety Data Sheet (First Aid). P305+P351+P338 – IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P337 + P313 – If eye irritation persists, get medical advice/attention.					
		16. OTHER INFORMATION				
16.1	Other Information:					
	NA					
16.2	Terms & Definitions: See page last page of this MSDS.					
16.3	Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.					
16.4	Prepared for: CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	CAIG LABORATORIES, INC.				
16.5	Prepared by: ShipMate, Inc. P.O. Box 787 780 Buckaroo Trail Suite D Sisters, OR 97759 Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* Dangerous Goods Training & Consulting				



Page 6 of 6

MSDS-E-GX100L

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58/EC & 1272/2008/EC Standards

MSDS Revision: 3.0

MSDS Revision Date: 08/22/2012

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
l	

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
TLV Threshold Limit Value		
OSHA	OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit		
IDLH Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose
	heart has stopped receives manual chest compressions and breathing
	to circulate blood and provide axygen to the body


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	1 Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA Not Available	
NR No Results	
NE Not Established	
ND Not Determined	
ML Maximum Limit	
SCRA Self-Contained Breathing Apparatus	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition	Minimum temperature required to initiate combustion in air with no			
Temperature	ture other source of ignition			
LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, th				
	will explode or ignite in the presence of an ignition source			
UEL Upper Explosive Limit - highest percent of vapor in air, by volume				
	that will explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic
TC, TCo, LCio, & LCo	effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	DOT U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL Canadian Domestic Substance List						
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\oslash		(A)		(Ţ)	®		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

			*		3	×	×
C	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			$\langle \cdot \rangle$		***
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment