

Page 1 of 5 **SDS-E-GSC102**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. PPm PPm <t< th=""><th></th><th></th><th></th><th>PRODUC</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>				PRODUC												
13 Synonyme: NA 14 Trade Name: Goby Labs™ Screen Cleaner; PN GSC-102 15 Product Use & Relations: Electronics Cleaner 16 Distributor's Name: CAIG Laboratories, Inc. 17 Distributor's Name: CAIG Laboratories, Inc. 18 Enregency Mode: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 19 Business Phone / Pax: +1 (800) 224-4123 L HAZARDS IDENTIFICATION Cleasified as a HAZAROUS SUBSTANCE but NOT as DANGEROUS GOC according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Austalia). WANNEL CAUSES EYE IRNTATION. Classification: Pieze INT2 NATION. Classification: Statements (P): P284 - Wash thoroughly after handling. P305+P351+P338 - If EYES: Nine cautiously with water for several minutes. Remove contact lenses, if present easy to do. Comtune rinsing. P374-P313 - If eye irritation pressue: Set medical advice/attentive asy to do. Continue rinsing. P374-P313 - If eye irritation pressue: Set medical advice/attentive asy to do. Continue rinsing. P374-P313 - If eye irritation pressue: Set medical advice/attentive asy to do. Continue rinsing. P374-P313 - If eye irritation pressue: Set medical advice/attentive asy to do. Continue rinsing. P374-P313 - If eye irritation pressue: Set medical advice/attentive asy to do. Continue rinsing. P374-P313 - If eye irritation pressue: Set medical advice/attentint east 15 minutes ast 15 minutes to readvi	1.1	Product Name:	GOBY L	<u>.ABS™ SC</u>	REEN CL	EANE	ER, (P/N	<u>GSC</u>	<u>-10</u> 2	<u>2), 2</u>	oz.				
4 Take Names: Goby Labs™ Screen Cleaner; PN GSC-102 5 Product Uses & Restrictions: Electronics Cleaner 6 Dustribudr's Name: CAIG Laboratories, Inc. 7 Dustribudr's Name: CAIG Laboratories, Inc. 8 Emregney, Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 9 Business Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 9 Business Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 9 Business Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 10 Business Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 11 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classification: criteria of NO-NSC: 1088 (2004) and ADG Code (Australia). 11 Hazard Identification: Cause seys initiation. Present endical advice/attentification: A composition of the assignation or criteria of NO-NSC: 1088 (2004) and ADG Code (Australia). Participation: Composition of the assignation or triteria of NO-NSC: 1088 (2004) and ADG Code (Australia). Composition: Composition: Composition: Composition: Composition: Comedition: Thecodut assignatedin the classification: Pal	.2	Chemical Name:	NA													
5 Product Uses & Restrictions: Electronics Cleaner 6 Distributor's Name. CAIC Laboratories, Inc.																
Builtitudir's Name: CAIG Laboratories, Inc. 7 Diminutur's Address: 12200 Thatcher Court, Poway, CA 92064-6876 USA 8 Emergency Phone: CHEMTREC:+1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 9 Bueness Phone / Fax: +1 (800) 224-4123 1 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classification ortenia of NOHSC: 1088 (2004) and ADG Code (Australia), WARNINGI CAUSES EYE IRRITATION. 21 Hazard Identification: This product is classification: SuBSTANCE but NOT as DANGEROUS GOC according to the classification ortenia of NOHSC: 1088 (2004) and ADG Code (Australia), WARNINGI CAUSES EYE IRRITATION. 21 Hazard Istements (H): H220 – Causes eye irritation. Presentiesse; Presentiesse; Presentiesse; Presentiesse; Set medical advice/attentite easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentite easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentite rates is the opersenties: rtater rtacs RTECS No. % Tu steller Wais Steller MEL (MA NA ROPRIETARY MIXTURE NA NA NA NA 1 First Add: Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink IMMEDIATELY. If the patient is vomiting, continue to folex ueter or no			-		r; PN GSC-102	2										
7 Distributor's Address: 12200 Thatcher Court, Poway, CA 92064-6876 USA 8 Energency Phone. CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXXX) 9 Business Phone / Fax: +1 (800) 224-4123 2. HAZARDS IDENTIFICATION 1 2 2 2																
8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN XXXX) 3 Business Phone / Fax: +1 (800) 224-4123 LAZARDS IDENTIFICATION 1 Nis product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! CAUSES EYE IRRITATION. Classification: Eye Irrit 2; Hazard Statements (P): P224 – Wash thoroughly after handling. P305+P351+P338 – IF Frecautionary Statements (P): P244 – Wash thoroughly after handling. P305+P351+P338 – IF EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentite easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentite easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentite easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentite easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentite easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentite easy to do. Continue rinsing. P37+P313 – If eye irritation persists: Get medical advice/attentite easy to do. Continue rinsing. P37+P313 – If eye irritation persists: Get medical advice/attentite easy to advice/attentite easy to do. Control Centrol Control Centrol Centrol Control Centro rol tocal emerge estimate of the time at which the mate																
3 Business Phone / Fax: Childmin Telev. In (Trus) 327-9360 / Per (800) 424-9300 (CCH AXAXA) 3 Business Phone / Fax: +1 (800) 224-4123 2. HAZARDS IDENTIFICATION 11 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). VMARNING LCAUSES EVE IRITATION. Classification: Eye Irit1 2; Hazard Statements (H): H220 – Causes eye irritation. Precautionary Statements (P): P264 – Wash thoroughly after handling. P305+P351+P338 – If EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentic VEMPSENDENTION & INGREDIENT INFORMATION ACCOMPOSITION & INGREDIENT INFORMATION A COMPOSITION & INGREDIENT INFORMATION VEMPSENDENCE INTENDENCE A RTECS No. RTECS No. INTENDENCE A NA A State S ZCO110000 A NA NA A RTECS No. EVEND VENDENCE Intereatit S minutes <td colspa<="" td=""><td></td><td></td><td></td><td colspan="9"></td></td>	<td></td> <td></td> <td></td> <td colspan="9"></td>															
In the product is classified as a HAZARDO IS SUBSTANCE but NOT as DANGEROUS GOC according to the classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOC according to the classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS WWARNINGL CAUSES EVEL RITATON.				· · · · · · · · · · · · · · · · · · ·	527-3887 /	+1 (800)) 424	-930	0 (CC	N XX	XXX)				
Image: International internatinto intered international international international	.9	Business Phone / Fax:	+1 (800) 224	1-4123												
according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING: CAUSES EVE IRRITATION. Classification: Eye Irrit 2: Hazard Statements (P): P204 – Wash thoroughly after handling. P305+P351+P338 – If Precautionary Statements (P): P204 – Wash thoroughly after handling. P305+P351+P338 – If EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentit easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentit easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentit easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentit easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attentit Accent Record (Cast (Cas																
HEMICAL NAME(S) CAS No. RTECS NO. EINECS NO. EXCEPTION ACGIH NORISC OSH OSH VATER 7732-18-5 ZC0110000 231-791-2 60-100 NA NA NF NF NF NA NA PROPRIETARY MIXTURE NA NA NA NA NA NA NA NF NF NF NA NA 4.1 First Aid: Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Neve unconscious person. Contact the nearest Poison Control Center or local emerge estimate of the time at which the material was ingested and the amount of swallowed. Splashes are not likely; however, if product gets in the eyes, flush with copio water for at least 15 minutes. 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. 4.3 Symptoms of Overexposure: Ingestion: If product is swallowed, may cause nausea, itching and/or diarrhea. 4.3 Symptoms of Overexposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. 4.3 Symptoms of Overexposure: Ing	2.1	Hazard Identification:	according to WARNING! Classification Hazard State Precautional EYES: Rinso	the classificatio CAUSES EYE <u>n</u> : Eye Irrit 2; <u>ements</u> (H): H22 <u>ry Statements</u> (F) e cautiously with	n criteria of NC IRRITATION. 0 – Causes ey 2): P264 – Was n water for sev	OHSC: 10 e irritatior sh thorous veral min	88 (200 n. ghly aft utes.)4) and ter han Remov	ADG I ADG Idling. ve cont	Code (P305- act le	(Austra +P351 nses,	alia). +P338 if pres	3 – IF I sent ar	N	<	<u>}</u>
HEMICAL NAME(S) CAS NO. RTECS NO. EINECS NO. EXCOUND 231-791-2 60-100 NA NA NF NF NF NA NA //ATER 7732-18-5 ZC0110000 231-791-2 60-100 NA NA NF NF NF NA NA ROPRIETARY MIXTURE NA			3. C	OMPOSIT	ON & INC	GREDI	ENT	INF	ORN	IAT	ION					
HEMICAL NAME(S) CAS No. RTECS No. EINECS No. Ppm ppm <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>EXPO</td><td>SURE L</td><td>IMITS I</td><td>N AIR (m</td><td>g/m³)</td><td></td><td></td></th<>										EXPO	SURE L	IMITS I	N AIR (m	g/m³)		
HEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL FS- TWA ES- STEL FEAK PEAK PPL PEAK STEL PEAK PPL PEAK NA													OSHA			
HEMICAL NAME(S) CAS No. RTECS No. ENECS No. % TLV STEL TWA STEL PEA PEL STE VATER 7732-18-5 ZC0110000 231-791-2 60-100 NA NA NF NF NF NA NA PROPRIETARY MIXTURE NA 4.1 First Aid: Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Neve unconscious person. Contact the nearest Poison Control Center or local emerge estimate of the time at which the material was ingested and the amount of swallowed. Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copio water for at least 15 minutes. Index 15 minutes. 1.1 Ingestion: Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breat 15 minutes. 2.1 Ingestion: Forduct is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to skin. The product can cause allergic skin reactions (e.g., ras som sensitive individuals. 4.2 Effects of Exposure: Ingestion: None expecte							рр	m	50		50		ppm	1	_	
VATER 7732-18-5 ZC0110000 231-791-2 60-100 NA NA NF NF NA NA IROPRIETARY MIXTURE NA NA <td>HEMIC</td> <td>AL NAME(S)</td> <td>CAS No.</td> <td>RTECS No.</td> <td>EINECS No.</td> <td>%</td> <td>TLV</td> <td>STEL</td> <td></td> <td></td> <td></td> <td>PEL</td> <td>STEL</td> <td>IDLH</td> <td></td> <td>OTHER</td>	HEMIC	AL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL				PEL	STEL	IDLH		OTHER
ROPRIETARY MIXTURE NA NA <td></td> <td>NA</td> <td>NA</td> <td></td> <td></td>													NA	NA		
ROPRIETARY MIXTURE A. FIRST AID MEASURES Ingestion: Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Neve unconscious person. Contact the nearest Poison Control Center or local emerge estimate of the time at which the material was ingested and the amount of swallowed. Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copio water for at least 15 minutes lifting upper and lower lids, occasionally. Skin: Wash thoroughly with soap and water. In case of contact, immediately flush skin least 15 minutes. Inhalation: Remove victim to fresh air at once. If breathing difficult, administer oxygen. If bre artificial respiration. Keep person warm, quiet and get medical attention. 12 Effects of Exposure: Ingestion: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to skin. The product can cause allergic skin reactions (e.g., rat some sensitive individuals. Inhalation: None expected. 13 Symptoms of Overexposure: Ingestion: Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irritation of like symptoms. The product can cause allergic skin reactions (e.g., ra	AIE	1					1						1			
First Aid: Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Neve unconscious person. Contact the nearest Poison Control Center or local emerge estimate of the time at which the material was ingested and the amount of swallowed. Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copio water for at least 15 minutes lifting upper and lower lids, occasionally. Skin: Undestion: Indestion: Ingestion: Inhalation: Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breattificial respiration. Keep person warm, quiet and get medical attention. 1:2 Effects of Exposure: Ingestion: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to skin. The product can cause allergic skin reactions (e.g., ras some sensitive individuals. .1 Inhalation: None expected. .3 Symptoms of Overexposure: Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. .3 Symptoms of Overexposure: Ingestion: Symptoms of skin overexposure may include redness, itching, and irritation of like symptoms. The product can cause allergic skin reactions (e.g., ras some sensitive individuals. .3 Symptoms of Overexposure: None expected.	ROPI	RIETARY MIXTURE	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA		
IMMEDIATELY. If the patient is voniting, continue to offer water or milk. Neve unconscious person. Contact the nearest Poison Control Center or local emerge estimate of the time at which the material was ingested and the amount of swallowed. Eves: Splashes are not likely; however, if product gets in the eyes, flush with copio water for at least 15 minutes lifting upper and lower lids, occasionally. Skin: Wash thoroughly with soap and water. In case of contact, immediately flush skin least 15 minutes. Inhalation: Remove victim to fresh air at once. If breathing difficult, administer oxygen. If bre artificial respiration. Keep person warm, quiet and get medical attention. 4.2 Effects of Exposure: Ingestion: Inductive individuals. If product is swallowed, may cause nausea, vomiting and/or diarrhea. Sves: Skin: Moderately irritating to skin. The product can cause allergic skin reactions (e.g., ras some sensitive individuals. 1.1 Inhalation: None expected. 4.3 Symptoms of Overexposure: Ingestion: Ingestion: Symptoms of skin overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of Skin overexposure in eyes may include redness, itching, and irritation of like symptoms. The product can cause allergic skin reactions (e.g., rashes, vindividuals. 4.4 Acute Health Effects: Non-irritating when used as directed. Moderate irritation to eyes and skin near affected at the				4.	FIRST AI	D ME	ASU	RES								
4.2 Effects of Exposure: Ingestion: Eyes: If product is swallowed, may cause nausea, vomiting and/or diarrhea. 4.2 Effects of Exposure: Ingestion: Eyes: If product is swallowed, may cause nausea, vomiting and/or diarrhea. 4.2 Skin: Moderately irritating to the eyes. Symptoms of overexposure may include rednwatering. Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rassome sensitive individuals. Inhalation: None expected. 4.3 Symptoms of Overexposure: Ingestion: Eyes: Skin: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irritation of like symptoms. The product can cause allergic skin reactions (e.g., rashes, vindividuals. 4.4 Acute Health Effects: Non-irritating when used as directed. Moderate irritation to eyes and skin near affected as		FIISEAIU.	<u>Eves</u> : <u>Skin</u> :	IMMEDIATEL' unconscious p estimate of th swallowed. Splashes are water for at lea Wash thoroug least 15 minut	f. If the patier erson. Contac e time at whi not likely; how ast 15 minutes nly with soap a es.	nt is vomi ct the nea ich the m vever, if p lifting upp ind water.	ting, co rest Po naterial product per and In cas	ontinue bison C was i : gets lower se of c	e to offe Control ingeste in the lids, or ontact,	er wate Cente d and eyes, ccasion imme	er or n er or lo I the a flush nally. diately	nilk. 1 cal en amour with c	Never (nergen nt of th copious skin w	give w cy nui ne sul s amo ith ple	vater or mber. bstance unts of enty of v	r milk to a Provide a e that wa f lukewar water for
Eves: Moderately irritating to the eyes. Symptoms of overexposure may include redminiation: Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rational some sensitive individuals. Indestion: None expected. I.3 Symptoms of Overexposure: Ingestion: Eves: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of Skin overexposure may include redness, itching, and irritation of like symptoms. The product can cause allergic skin reactions (e.g., rashes, vindividuals. I.4 Acute Health Effects: Non-irritating when used as directed. Moderate irritation to eyes and skin near affected as the symptoms.	1.2	Effects of Exposure:		artificial respira	ation. Keep pe	erson warı	n, quie	t and g	get mee	dical a	ttentio	n.	ii bica	uning (stops g	
.3 Symptoms of Overexposure: Indestion: None expected. .3 Symptoms of Overexposure: Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Overexposure: Symptoms of Skin: Symptoms of skin overexposure may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irritation of like symptoms. The product can cause allergic skin reactions (e.g., rashes, windividuals. .4 Acute Health Effects: Non-irritating when used as directed. Moderate irritation to eyes and skin near affected as directed.			Eyes:	Moderately irr	tating to the e	yes. Syn	nptoms	of ov	erexpo	sure n	nay in				-	
.3 Symptoms of Overexposure: Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. .3 Symptoms of Overexposure: Ingestion: Overexposure in eyes may cause redness, itching and watering. .3 Skin: Symptoms of skin overexposure may include redness, itching, and irritation of like symptoms. The product can cause allergic skin reactions (e.g., rashes, windividuals. .4 Acute Health Effects: Non-irritating when used as directed. Moderate irritation to eyes and skin near affected as directed.				some sensitive	e individuals.	e product	can ca	ause a	liergic	skin re	eaction	is (e.g	, rasn	es, w	eits, de	ermatitis)
Acute Health Effects: Non-irritating when used as directed. Moderate irritation to eyes and skin near affected a	<i>.</i> .3	Symptoms of Overexposure:	Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea. Eyes: Overexposure in eyes may cause redness, itching and watering. Skin: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Frostbillike symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some some sections (e.g., rashes, welts, dermatitis)													
	1.4	Acute Health Effects:		g when used as								affec	ted ar	eas.	Additio	onally, hi
	1	Chronic Health Effects:	Non-irritating	g when used as	directed. Ove	erexposu	re may	trigge	r asthr	na-like	e symp			ne se	nsitive	individua
	.5					,,		.,			0	-				
 Medical Conditions Aggravated by Exposure: Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system). HEALTH FLAMMABILITY PHYSICAL HAZARE 		Target Organs:	Lyes, Skill.				ام بر م الم	ers of	the	IEAL	тн					
PROTECTIVE EQUI	4.5 4.6 4.7	Medical Conditions	Pre-existing				aisora			FLAM PHYS	IMAB ICAL	HAZ	ARDS			1 0 0 B



Page 2 of 5 **SDS-E-GSC102**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

		5. FIF	EFI	<u>GHTI</u>	NG ME	ASUR	ES				
5.1	Fire & Explosion Hazards:	This product is not flammable temperatures to form toxic gas				n a fire, thi	s product	may deo	compos	e at higł	1
5.2	2 Extinguishing Methods: Water, Foam, CO ₂ , Dry Chemical. Use water spray to cool unopened containers.										
		6. ACCIDE	NT/	AL RE	ELEAS	E MEA	SURE	S			
6.1	Spills:	Before cleaning any spill or Equipment. Plastic or rubbe <u>Small Spills</u> : Wear appropria material such as vermiculite water or a material such as plastic brooms, shovels, dust <u>Large Spills</u> : Keep incompat or release. Isolate immediate done with minimal risk. Wear	leak, glove e prot or san (speed bans) a ble ma	individu s, respir ective e d to soa ly dry" to and plac aterials o d area a	uals involv ator, eye p quipment i ak up the p o soak up e into a pla (e.g., orgar and keep u	ed in spil protection a ncluding g product an material. astic conta nics such a nauthorize	I cleanup and apron gloves and d place in Sweep up iner or plas as oil) awa ed personn	must w may be protect to a cor materia stic liner y from s el out o	required ive eyew ntainer f al using within a spill. St f area. S	I for clea vear. U or later non-sp another ay upwin Stop spi	an-up of large spills. se a non-combustible disposal. Do not use arking materials (e.g., container. nd and away from spill Il or release if it can be
		7. HANDLIN	G &	STO	RAGE	INFOR	ΝΑΤΙΟ	N			
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke container(s). When used as contact is possible. Wash uni	when intend	handling led, no	g this proc additional	luct. Cor protective	ntents unde equipmen	er press t is nec			
7.2											
7.3											
				<u> </u>	<u> </u>	00114		TEAT			
0.1	8. EXPOSURE CONTROLS & PERSONAL PROTECTION							OTUED			
8.1	Exposure Limits: ppm (mg/m ³)	CHEMICAL NAME(S)	TLV NA	STEL NA	ES-TWA	NOHSC ES-STEL NA	ES-PEAK NF	PEL NA	OSHA STEL NA	IDLH NA	OTHER
8.2	Ventilation & Engineering Controls:	General mechanical (e.g., fa exhaust ventilation to effectiv product. Ensure appropriate of	ns) or vely re decont	natural move a aminatio	ventilation nd preven	is sufficie t buildup ent is avail	ent when t of vapors able (e.g.,	his proo or mist sink, sa	duct is i genera fety sho	n use. ted fron wer, eye	n the handling of this e-wash station).
8.3	Respiratory Protection:	No special respiratory protect instances where dusts of this protection authorized by 29 of CAS Standard Z94.4-93 and Australia.	produc CFR §	ct are ge 1910.13	enerated, a 4, applical	nd respira	tory protec State regula	tion is r ations, o	needed, or the C	use only Canadiar	/
8.4	Eye Protection:	Avoid eye contact. None req when handling or using large					se. Safety	/ glasse	s could	be used	
8.5	Hand Protection:		None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.								
8.6											
		9. PHYSIC	AL &			PROF	PERTIE	S			
9.1	Appearance:	Milky white liquid									
9.2	Odor:	No odor									
9.3	Odor Threshold:	NA									
9.4	pH: Malting Daint/Excering Daint:	NA									
9.5 9.6	Melting Point/Freezing Point: Initial Boiling Point/Boiling	NA									
	Range:	NA									
9.7	Flashpoint:	NA									
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	NA									



Page 3 of 5 SDS-E-GSC102

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

		9. PHYSICAL & CHEMICAL PROPERTIES – cont'd
0.40	Mar an Danaitan	
9.10	Vapor Density:	NA
9.11	Relative Density:	NA
9.12	Solubility:	soluble
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA
		10. STABILITY & REACTIVITY
40.4	Otale life a	
10.1	Stability:	Stable under normal conditions; unstable with heat or contamination.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂).
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat, incompatible substances and direct sunlight.
10.5	Incompatible Substances:	Avoid extreme heat and ignition sources. Store away from oxidizers.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is not presented in this document.
11.3	Acute Toxicity:	Moderate irritation to eyes and skin near affected areas.
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).
11.5	Suspected Carcinogen:	No.
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
F	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
F	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
-	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		The office of th
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fatal
		to overexposed aquatic life.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations.
13.2	Special Considerations:	regulations. Dispose of in accordance with federal, state and local regulations.
10.2	oposiai Ourisiderations.	NA
		14. TRANSPORTATION INFORMATION
The b descr	pasic description (ID Nun riptive information may be	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	I NOT REGULATED
14.3 14.4	IMDG (OCN): TDGR (Canadian GND):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
	()	NOT REGULATED NOT REGULATED
14.4 14.5	TDGR (Canadian GND): ADR/RID (EU):	NOT REGULATED



Page 4 of 5 **SDS-E-GSC102**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity (RQ):	NA
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	State Regulatory Information:	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi) <u>Risk Phrases:</u> (R) 36 – Irritating to eyes. <u>Safety Phrases:</u> (S) 2-25-45 – Keep out of reach of children. Avoid contact with eyes. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).
		16. OTHER INFORMATION
16.1	Other Information:	WARNING! CAUSES EYE IRRITATION. Use only as directed. Keep out of reach of children. Avoid contact with eyes.
		In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If skin irritation occurs: get medical advice/attention. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN .
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to
		consult the latest edition.
16.4	Prepared for:	Consult the latest edition. CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/



Page 5 of 5 SDS-E-GSC102

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 3.0

SDS Revision Date: 2/2/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
C	Ceiling Limit	
ES	Exposure Standard (Australia)	
IDLH Immediately Dangerous to Life and Health		
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short-Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	


PERSONAL PROTECTION RATINGS:

Α			G					
в	8		Н	0		E 1		
С			I					
D	B		J			Î		
Е			к					
F			X			ervisor or directions	r SOPs for s.	
Safety Glasses Splash Goggles				e Shield & tive Eyew		Glove	95	
	Boots	Synthetic Apron		tive Cloth Full Suit	ing l	Dust Resp	pirator	
		Dust & Vapor Half-	F	ull Face		Airline Hood/Mask		
Full I	Face Respi	Mask Respirator		espirator	~	or SCBA		
отн	ER STAN	DARD ABBREVIATION	S:					
	ML	Maximum Limit						
	mg/m3	milligrams per cubic meter						
	NA	Not Available						
	ND	Not Determined						
	NE	Not Established						
	NF	Not Found						
	NR	No Results						
	ppm	parts per million						
	SCBA	Self-Contained Breathing A	pparatus					

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition	Minimum temperature required to initiate combustion in air with no other				
Temperature	source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will				
	explode or ignite in the presence of an ignition source				

HAZARD RATINGS: 0 Minimal Hazard 1 Slight Hazard 2 Moderate Hazard 3 Severe Hazard 4 Extreme Hazard ACD Acidic ALK Alkaline COR Corrosive W Use No Water OX Oxidizer TREFOIL Radioactive



TOXICOLOGICAL INFORMATION:

	FRECAUTORS
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of OilWater Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA U.S. Environmental Protection Agency			
DSL Canadian Domestic Substance List			
NOHSC	National Occupational Health and Safety Commission (Australia)		
NDSL	Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System		

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٨		(۲		Ĩ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		2×	¥	8	® X	×	×			
С	E	F	z	0	т	Xi	Xn			
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful			

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\:		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment