




Connecting what moves you



PRODUCT CATALOG

ANALOG AUDIO**PAGE**

Microphone Cables	3
Microphone Adapters	4
Instrument Cables	5
Guitar Patch Cables	6
Guitar Pedal Adapters	6
DI Box	7
Footswitches	7
Speaker Cables	8
Speaker Adapters	10
Single Interconnects	11
Specialty Microphone Cables	16
Dual Interconnects	19
Snakes	21
Stage Box Snakes	22
Insert Cables	23
Stereo Breakouts	24
Y Cables	26
Adapters	28
Patch Bays & Racks	31
Patch Cables	32
Audio Switcher	33
Headphones	33
Headphone Cables	33
Headphone Adapters — New Items Added!	34
Bulk Cable	35
Connectors	36

DIGITAL AUDIO

Bluetooth Interface	39
AES/EBU Cables	39
S/PDIF Cables & Adapters	40
S/PDIF Interfaces	40

VIDEO

HDMI Cables & Adapters	41
VGA Cables	42
VGA Adapters	42
Component Video Cables	42
S-Video Cables & Adapters	43
Composite AV Cables	43
75-ohm Coax	44
75-ohm Adapters	44

DATA

PAGE

MIDI Cables & Adapters

45

Control & Sync Cables

46

USB Cables — New Items Added!

47

Network Cables

48

DMX Cables

49

DMX Adapters

49

POWER

Power Cords & Adapters

50

Power Supplies

51

Batteries

51

STANDS

Microphone Stands — New Items Added!

52

Guitar Stands

52

Keyboard Stands

52

Music Stands

52

Stand Accessories

53

ACCESSORIES

Organizers — New Items Added!

54

Tape

54

Audio Cable Tester

55

Console Lamps

55

Personal Protection — New Items Added!

56

CAIG Hand Protection — New Items Added!

56

Goby Labs Cleaners & Conditioners — New Items Added!

57

CAIG Cleaners & Conditioners

58

MOGAN MICROPHONES

Earset Microphones

59

Replacement Cables

60

Description	Model	Length
Edge Microphone Cable	Neutrik XLR3F to XLR3M, 20 AWG x 2 OFC, 95% OFC Braid	
	CMK-003AU	3 ft
	CMK-005AU	5 ft
	CMK-010AU	10 ft
	CMK-015AU	15 ft
	CMK-020AU	20 ft
	CMK-025AU	25 ft
	CMK-030AU	30 ft
	CMK-050AU	50 ft
	CMK-075AU	75 ft
	CMK-100AU	100 ft

Pro Microphone Cable	REAN XLR3F to XLR3M, 20 AWG x 2 OFC, 90% OFC Braid	
	HMIC-003	3 ft
	HMIC-005	5 ft
	HMIC-010	10 ft
	HMIC-015	15 ft
	HMIC-020	20 ft
	HMIC-025	25 ft
	HMIC-030	30 ft
	HMIC-050	50 ft
	HMIC-100	100 ft

Pro Microphone Cable	REAN XLR3F to 1/4 in TS, 20 AWG x 2 OFC, 90% OFC Braid	
	HMIC-005HZ	5 ft
	HMIC-010HZ	10 ft
	HMIC-025HZ	25 ft

Microphone Cable	Hosa XLR3F to XLR3M, 22 AWG x 2 OFC, 88% OFC Braid	
	MCL-103	3 ft
	MCL-105	5 ft
	MCL-110	10 ft
	MCL-115	15 ft
	MCL-120	20 ft
	MCL-125	25 ft
	MCL-130	30 ft
	MCL-150	50 ft
	MCL-1100	100 ft

Description	Model	Length
Microphone Cable	Hosa XLR3F to 1/4 in TS, 22 AWG x 2 OFC, 88% OFC Braid	
	MCH-105	5 ft
	MCH-110	10 ft
	MCH-125	25 ft

Microphone Cable	Switchcraft XLR3F to XLR3M, 20 AWG x 2 OFC, 95% OFC Braid	
	MSC-003	3 ft
	MSC-005	5 ft
	MSC-010	10 ft
	MSC-015	15 ft
	MSC-020	20 ft
	MSC-025	25 ft
	MSC-030	30 ft
	MSC-050	50 ft
	MSC-075	75 ft
	MSC-100	100 ft

Quad Microphone Cable	Hosa XLR3F to XLR3M, 24 AWG x 4 OFC, 90% OFC Braid	
	CMI-110	10 ft
	CMI-125	25 ft

Economy Microphone Cable	Hosa XLR3F to XLR3M, 24 AWG x 2 OFC, 76% OFC Spiral	
	MBL-105	5 ft
	MBL-110	10 ft
	MBL-125	25 ft

TRACKLINK Microphone to USB Interface	XLR3F to USB Type A	
	UXA-110	10 ft
The fun and easy way to connect your microphone to your computer		
• Plug and play—no driver required • Indicator light signals secure connection and recording status • Compatible with most Mac and Windows audio software		

Description	Model	Length
Impedance Transformer 	XLR3F to 1/4 in TS, Matches 200R Output to 50K Input MIT-176	6 in
	XLR3F to 1/4 in TS, Matches 200R Output to 50K Input MIT-435	N/A
Impedance Transformer 	XLR3F to 3.5 mm TRS, Matches 600R Output to 2.5K Input MIT-156	18 in
Impedance Transformer 	1/4 in TSF to XLR3M, Matches 50K Output to 200R Input MIT-129	N/A
Power Switch 	XLR3F to XLR3M GMS-274 Switching off shorts pin 2 to pin 3	N/A
Input Attenuator 	XLR3F to XLR3M ATT-448 Selectable -20 dB, -30 dB, or -40 dB attenuation	N/A
Ground Lifter 	XLR3F to XLR3M GLT-255 Pin 1 is lifted	N/A
Phase Reverser 	XLR3F to XLR3M GXX-195 Pins 2 and 3 are crossed	N/A

Description	Model	Length
Edge Guitar Cable	Neutrik Straight to Same, 20 AWG OFC, 95% OFC Braid	
	CGK-005	5 ft
	CGK-010	10 ft
	CGK-015	15 ft
	CGK-020	20 ft
	CGK-025	25 ft
	CGK-030	30 ft

Edge Guitar Cable	Neutrik Straight to Right-angle, 20 AWG OFC, 95% OFC Braid	
	CGK-005R	5 ft
	CGK-010R	10 ft
	CGK-015R	15 ft
	CGK-020R	20 ft
	CGK-025R	25 ft
	CGK-030R	30 ft

Edge Guitar Cable	Neutrik Right-angle to Same, 20 AWG OFC, 95% OFC Braid	
	CGK-015RR	15 ft

Pro Guitar Cable	REAN Straight to Same, 20 AWG OFC, 90% OFC Braid	
	HGTR-005	5 ft
	HGTR-010	10 ft
	HGTR-015	15 ft
	HGTR-020	20 ft
	HGTR-025	25 ft

Pro Guitar Cable	REAN Straight to Right-angle, 20 AWG OFC, 90% OFC Braid	
	HGTR-005R	5 ft
	HGTR-010R	10 ft
	HGTR-015R	15 ft
	HGTR-020R	20 ft
	HGTR-025R	25 ft

Guitar Cable	Hosa Straight to Same, 24 AWG OFC, 90% OFC Braid	
	GTR-205	5 ft
	GTR-210	10 ft
	GTR-215	15 ft
	GTR-220	20 ft
	GTR-225	25 ft

Description	Model	Length
Guitar Cable	Hosa Straight to Right-angle, 24 AWG OFC, 90% OFC Braid	
	GTR-205R	5 ft
	GTR-210R	10 ft
	GTR-215R	15 ft
	GTR-220R	20 ft
	GTR-225R	25 ft

Tweed Guitar Cable	Hosa Straight to Same, 24 AWG OFC, 90% OFC Braid	
	GTR-518	18 ft

Tweed Guitar Cable	Hosa Straight to Right-angle, 24 AWG OFC, 90% OFC Braid	
	GTR-518R	18 ft

Cloth Guitar Cable	Hosa Straight to Same, 18 ft, 24 AWG OFC, 90% OFC Braid	
	3GT-18C1	BU/WH/BK
	3GT-18C2	BU/GN/WH
	3GT-18C3	RD/GN
	3GT-18C4	BK/AU
	3GT-18C5	BK/RD
	3GT-PAK	10 pc, Assorted Colors

TRACKLINK Guitar to USB Interface	1/4 in TS to USB Type A	
	USQ-110	10 ft

The fun and easy way to connect your electric guitar to your computer

- Plug and play—no driver required
- Indicator light signals secure connection and recording status
- Compatible with most Mac and Windows audio software

Description	Model	Option
Edge Guitar Patch Cable	Neutrik Right-angle to Same, 20 AWG OFC, 95% OFC Braid	
	CGK-000.5RR	6 in
	CGK-001RR	12 in
	CGK-001.5RR	18 in

Pro Guitar Patch Cable	REAN Low-profile Right-angle to Same, 20 AWG OFC, 90% OFC Braid	
	HGFP-000.5	6 in
	HGFP-001	12 in
	HGFP-001.5	18 in
<i>This upgraded version of Hosa Pro Guitar Patch Cables features heavy duty REAN low-profile, or pancake, connectors to minimize the space required in between pedals. They are the ideal pedalboard solution.</i>		

Pro Guitar Patch Cable	REAN Right-angle to Same, 20 AWG OFC, 90% OFC Braid	
	HGTR-000.5RR	6 in
	HGTR-001RR	12 in
	HGTR-001.5RR	18 in

Guitar Patch Cable	Hosa Right-angle to Same, 24 AWG OFC, 90% OFC Spiral	
	CPE-106	6 in
	CPE-112	12 in
	CPE-118	18 in
	CPE-411	6 pc, Various Lengths
	CPE-606	6 pc, 6 in

Guitar Patch Cable	Low-profile Right-angle to Same, 24 AWG OFC, 80% OFC Spiral	
	IRG-100.5	6 in
	IRG-101	1 ft
	IRG-103	3 ft
	IRG-600.5	6 pc, 6 in

Description	Model	Option
Flat Guitar Patch Cable	Molded Low-profile Right-angle to Same, 24 AWG OFC, 90% OFC Spiral	
	CFP-106	6 in
	CFP-112	12 in
	CFP-118	18 in
	CFP-606	6 pc, 6 in

Hosa Flat Guitar Patch Cables feature flat cable and slim connector design to connect pedals in tight pedalboards

Guitar Patch Cable	Molded Right-angle to Same, 24 AWG OFC, 80% OFC Spiral	
	CFS-106	6 in
	CFS-112	1 ft
	CFS-606	6 pc, 6 in

Guitar Pedal Crank	1/4 in TS to Same, Offset Placement	
	GPP-146	N/A

Guitar Pedal Coupler	1/4 in TS to Same	
	GPP-296	N/A

Right-angle Adapter	1/4 in TS to Same	
	GPP-151	N/A

Description	Model	Option
Sidekick Passive DI Box 	1/4 in TS to XLR3M DIB-443	N/A
The Sidekick Passive DI Box utilizes an isolation transformer to convert a guitar-level signal to a line-level signal suitable for transmission over long distances via a balanced interconnect or snake. • Switchable instrument/line level • Ground lift switch • Not for speaker-level signals		
Footswitch 	Guitar-style, Single-latching FSC-384	N/A
Requires 1/4 in TS interconnect, sold separately.		
Footswitch 	Guitar-style, Dual-latching FSC-385	N/A
Requires 1/4 in TRS interconnect, sold separately.		
Footswitch 	Momentary, Selectable FSC-604	N/A
Momentary footswitches are used for keyboard sustain, punch in/out, and patch advance. This footswitch features selectable normally open or normally closed operation, making it ideal for use with all electronic keyboards.		
Footswitch 	Choose Latching or Momentary Operation	
FSC-501		Latching
FSC-502		Momentary, normally open
FSC-503		Momentary, normally closed
Latching footswitches (FSC-501) are used for on/off switching. Momentary footswitches (FSC-502 and FSC-503) are used for keyboard sustain, punch in/out, and patch advance. Roland and Yamaha electronic keyboards require momentary normally closed footswitches (FSC-503). All other electronic keyboards require momentary normally open footswitches (FSC-502).		

Description	Model	Length
Edge Speaker Cable	Neutrik speakON to Same, 12 AWG x 2 OFC	
	SKT-203	3 ft
	SKT-205	5 ft
	SKT-210	10 ft
	SKT-215	15 ft
	SKT-220	20 ft
	SKT-225	25 ft
	SKT-230	30 ft
	SKT-250	50 ft
	SKT-275	75 ft
	SKT-2100	100 ft

Description	Model	Length
Pro Speaker Cable	REAN Loudspeaker to Same, 14 AWG x 2 OFC	
	SKT-403	3 ft
	SKT-405	5 ft
	SKT-410	10 ft
	SKT-415	15 ft
	SKT-420	20 ft
	SKT-425	25 ft
	SKT-430	30 ft
	SKT-450	50 ft
	SKT-475	75 ft
	SKT-4100	100 ft

Edge Speaker Cable	Neutrik speakON to 1/4 in TS, 12 AWG x 2 OFC	
	SKT-203Q	3 ft
	SKT-205Q	5 ft
	SKT-210Q	10 ft
	SKT-215Q	15 ft
	SKT-220Q	20 ft
	SKT-225Q	25 ft
	SKT-230Q	30 ft
	SKT-250Q	50 ft
	SKT-275Q	75 ft
	SKT-2100Q	100 ft

Pro Speaker Cable	REAN Loudspeaker to 1/4 in TS, 14 AWG x 2 OFC	
	SKT-403Q	3 ft
	SKT-405Q	5 ft
	SKT-410Q	10 ft
	SKT-415Q	15 ft
	SKT-420Q	20 ft
	SKT-425Q	25 ft
	SKT-430Q	30 ft
	SKT-450Q	50 ft
	SKT-475Q	75 ft
	SKT-4100Q	100 ft

Edge Speaker Cable	Neutrik 1/4 in TS to Same, 12 AWG x 2 OFC	
	SKJ-203	3 ft
	SKJ-205	5 ft
	SKJ-210	10 ft
	SKJ-215	15 ft
	SKJ-220	20 ft
	SKJ-225	25 ft
	SKJ-230	30 ft
	SKJ-250	50 ft
	SKJ-275	75 ft
	SKJ-2100	100 ft

Pro Speaker Cable	REAN 1/4 in TS to Same, 14 AWG x 2 OFC	
	SKJ-403	3 ft
	SKJ-405	5 ft
	SKJ-410	10 ft
	SKJ-415	15 ft
	SKJ-420	20 ft
	SKJ-425	25 ft
	SKJ-430	30 ft
	SKJ-450	50 ft
	SKJ-475	75 ft
	SKJ-4100	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Same, 16 AWG x 2 OFC	
	SKJ-603	3 ft
	SKJ-605	5 ft
	SKJ-610	10 ft
	SKJ-615	15 ft
	SKJ-620	20 ft
	SKJ-625	25 ft
	SKJ-630	30 ft
	SKJ-650	50 ft
	SKJ-675	75 ft
	SKJ-6100	100 ft

Description	Model	Length
Speaker Cable	Hosa 1/4 in TS to Same, 16 AWG x 2 OFC, Black Zip	
	SKZ-603	3 ft
	SKZ-605	5 ft
	SKZ-610	10 ft
	SKZ-615	15 ft
	SKZ-620	20 ft
	SKZ-625	25 ft
	SKZ-630	30 ft
	SKZ-650	50 ft
	SKZ-675	75 ft
	SKZ-6100	100 ft

Speaker Cable	Hosa 1/4 in TS to Dual Banana, 16 AWG x 2 OFC	
	SKJ-603BN	3 ft
	SKJ-605BN	5 ft
	SKJ-610BN	10 ft
	SKJ-615BN	15 ft
	SKJ-620BN	20 ft
	SKJ-625BN	25 ft
	SKJ-630BN	30 ft
	SKJ-650BN	50 ft
	SKJ-675BN	75 ft
	SKJ-6100BN	100 ft

Speaker Cable	Hosa 1/4 in TS to Dual Banana, 16 AWG x 2 OFC, Black Zip	
	SKZ-603BN	3 ft
	SKZ-605BN	5 ft
	SKZ-610BN	10 ft
	SKZ-615BN	15 ft
	SKZ-620BN	20 ft
	SKZ-625BN	25 ft
	SKZ-630BN	30 ft
	SKZ-650BN	50 ft
	SKZ-675BN	75 ft
	SKZ-6100BN	100 ft

Speaker Cable	Hosa Dual Banana to Same, 16 AWG x 2 OFC	
	SKJ-603BB	3 ft
	SKJ-605BB	5 ft
	SKJ-610BB	10 ft
	SKJ-615BB	15 ft
	SKJ-620BB	20 ft
	SKJ-625BB	25 ft
	SKJ-630BB	30 ft
	SKJ-650BB	50 ft
	SKJ-675BB	75 ft
	SKJ-6100BB	100 ft

Speaker Cable	Hosa Dual Banana to Same, 16 AWG x 2 OFC, Black Zip	
	SKZ-603BB	3 ft
	SKZ-605BB	5 ft
	SKZ-610BB	10 ft
	SKZ-615BB	15 ft
	SKZ-620BB	20 ft
	SKZ-625BB	25 ft
	SKZ-630BB	30 ft
	SKZ-650BB	50 ft
	SKZ-675BB	75 ft
	SKZ-6100BB	100 ft

Description	Model	Option
Neutrik Speaker Coupler 	NL4MMX	speakON to Same N/A
Neutrik Speaker Adapter 	NA4LJX	1/4 in TS to speakON N/A
Speaker Adapter 	Hosa 1/4 in TS to Neutrik speakON, 6 in GSK-112 GSK-116	12 AWG x 2 OFC 16 AWG x 2 OFC
Speaker Adapter 	Hosa 1/4 in TS to Dual Banana, 6 in, 16 AWG x 2 OFC BNP-116BK BNP-116RD	Black Red

Description	Model	Length
Pro Balanced Interconnect	REAN XLR3F to XLR3M, 24 AWG x 2 OFC, 90% OFC Spiral	
	HXX-001.5	1.5 ft
	HXX-003	3 ft
	HXX-005	5 ft
	HXX-010	10 ft
	HXX-015	15 ft
	HXX-020	20 ft
	HXX-030	30 ft
	HXX-050	50 ft
	HXX-100	100 ft

Description	Model	Length
Pro Balanced Interconnect	REAN 1/4 in TRS to Same, 24 AWG x 2 OFC, 90% OFC Spiral	
	HSS-001.5	1.5 ft
	HSS-003	3 ft
	HSS-005	5 ft
	HSS-010	10 ft
	HSS-015	15 ft
	HSS-020	20 ft
	HSS-030	30 ft
	HSS-050	50 ft
	HSS-100	100 ft

Pro Balanced Interconnect	REAN XLR3F to 1/4 in TRS, 24 AWG x 2 OFC, 90% OFC Spiral	
	HXS-001.5	1.5 ft
	HXS-003	3 ft
	HXS-005	5 ft
	HXS-010	10 ft
	HXS-015	15 ft
	HXS-020	20 ft
	HXS-030	30 ft
	HXS-050	50 ft
	HXS-100	100 ft

Pro Unbalanced Interconnect	REAN 1/4 in TS to Same, 24 AWG OFC, 90% OFC Spiral	
	HPP-003	3 ft
	HPP-005	5 ft
	HPP-010	10 ft
	HPP-015	15 ft
	HPP-020	20 ft

Pro Balanced Interconnect	REAN 1/4 in TRS to XLR3M, 24 AWG x 2 OFC, 90% OFC Spiral	
	HSX-001.5	1.5 ft
	HSX-003	3 ft
	HSX-005	5 ft
	HSX-010	10 ft
	HSX-015	15 ft
	HSX-020	20 ft
	HSX-030	30 ft
	HSX-050	50 ft
	HSX-100	100 ft

Pro Unbalanced Interconnect	REAN XLR3F to 1/4 in TS, 24 AWG OFC, 90% OFC Spiral	
	HXP-001.5	1.5 ft
	HXP-003	3 ft
	HXP-005	5 ft
	HXP-010	10 ft
	HXP-015	15 ft
	HXP-020	20 ft

Pro Unbalanced Interconnect	REAN 1/4 in TS to XLR3M, 24 AWG OFC, 90% OFC Spiral	
	HPX-001.5	1.5 ft
	HPX-003	3 ft
	HPX-005	5 ft
	HPX-010	10 ft
	HPX-015	15 ft
	HPX-020	20 ft

Description	Model	Length
Pro Unbalanced Interconnect	REAN 1/4 in TS to RCA, 24 AWG OFC, 90% OFC Spiral	
	HPR-001.5	1.5 ft
	HPR-003	3 ft
	HPR-005	5 ft
	HPR-010	10 ft
	HPR-015	15 ft
	HPR-020	20 ft

Pro Unbalanced Interconnect	REAN RCA to Same, 24 AWG OFC, 90% OFC Spiral	
	HRR-003	3 ft
	HRR-005	5 ft
	HRR-010	10 ft
	HRR-015	15 ft
	HRR-020	20 ft
	HRR-050	50 ft
	HRR-075	75 ft
	HRR-100	100 ft

Pro Unbalanced Interconnect	REAN XLR3F to RCA, 24 AWG OFC, 90% OFC Spiral	
	HXR-003	3 ft
	HXR-005	5 ft
	HXR-010	10 ft
	HXR-015	15 ft
	HXR-020	20 ft

Pro Unbalanced Interconnect	REAN RCA to XLR3M, 24 AWG OFC, 90% OFC Spiral	
	HRX-003	3 ft
	HRX-005	5 ft
	HRX-010	10 ft
	HRX-015	15 ft
	HRX-020	20 ft

Description	Model	Length
Pro Stereo Interconnect	REAN 3.5 mm TRS to Same	
	HMM-003	3 ft
	HMM-005	5 ft
	HMM-010	10 ft
	HMM-015	15 ft

Balanced Interconnect	XLR3F to XLR3M	
	XLR-102	2 ft
	XLR-103	3 ft
	XLR-105	5 ft
	XLR-110	10 ft
	XLR-115	15 ft
	XLR-120	20 ft

Balanced Interconnect	Right-angle XLR3F to XLR3M	
	XFF-101.5	1.5 ft
	XFF-103	3 ft
	XFF-105	5 ft
	XFF-110	10 ft
	XFF-115	15 ft
	XFF-125	25 ft

Balanced Interconnect	XLR3F to Right-angle XLR3M	
	XRR-101.5	1.5 ft
	XRR-103	3 ft
	XRR-105	5 ft
	XRR-110	10 ft
	XRR-115	15 ft
	XRR-125	25 ft

Description	Model	Length
Balanced Interconnect	XLR3F to 1/4 in TRS	
	STX-102F	2 ft
	STX-103F	3 ft
	STX-105F	5 ft
	STX-110F	10 ft
	STX-115F	15 ft
	STX-120F	20 ft

Balanced Interconnect	1/4 in TRS to XLR3M	
	STX-102M	2 ft
	STX-103M	3 ft
	STX-105M	5 ft
	STX-110M	10 ft
	STX-115M	15 ft
	STX-120M	20 ft

Balanced Interconnect	1/4 in TRS to Same	
	CSS-103	3 ft
	CSS-105	5 ft
	CSS-110	10 ft
	CSS-115	15 ft
	CSS-125	25 ft

Balanced Interconnect	1/4 in TRS to Right-angle 1/4 in TRS	
	CSS-103R	3 ft
	CSS-105R	5 ft
	CSS-110R	10 ft
	CSS-115R	15 ft

Balanced Interconnect	Right-angle 1/4 in TRS to Same	
	CSS-103RR	3 ft
	CSS-105RR	5 ft
	CSS-110RR	10 ft

Description	Model	Length
Balanced Interconnect	XLR3F to TT TRS	
	TTX-103F	3 ft

Balanced Interconnect	TT TRS to XLR3M	
	TTX-103M	3 ft

Balanced Interconnect	TT TRS to Same	
	TTS-102	2 ft

Balanced Interconnect	TT TRS to 1/4 in TRS	
	TTQ-105	5 ft

Unbalanced Interconnect	1/4 in TS to Same	
	CPP-101	1 ft
	CPP-103	3 ft
	CPP-105	5 ft
	CPP-110	10 ft
	CPP-115	15 ft

Description	Model	Length
-------------	-------	--------

Unbalanced Interconnect

1/4 in TS to Right-angle 1/4 in TS



CPP-103R	3 ft
CPP-105R	5 ft
CPP-110R	10 ft

Unbalanced Interconnect

XLR3F to 1/4 in TS



PXF-102	2 ft
PXF-103	3 ft
PXF-105	5 ft
PXF-110	10 ft
PXF-115	15 ft
PXF-120	20 ft

Unbalanced Interconnect

1/4 in TS to XLR3M



PXM-102	2 ft
PXM-103	3 ft
PXM-105	5 ft
PXM-110	10 ft
PXM-115	15 ft
PXM-120	20 ft

Unbalanced Interconnect

1/4 in TS to RCA



CPR-103	3 ft
CPR-105	5 ft
CPR-110	10 ft
CPR-115	15 ft

Unbalanced Interconnect

Right-angle 1/4 in TS to RCA



CPR-103R	3 ft
----------	------

Description	Model	Length
-------------	-------	--------

Unbalanced Interconnect

RCA to Same



CRA-103	3 ft
CRA-105	5 ft
CRA-110	10 ft
CRA-120	20 ft

Unbalanced Interconnect

XLR3F to RCA



XRF-102	2 ft
XRF-103	3 ft
XRF-105	5 ft
XRF-110	10 ft
XRF-115	15 ft

Unbalanced Interconnect

RCA to XLR3M



XRM-102	2 ft
XRM-103	3 ft
XRM-105	5 ft
XRM-110	10 ft
XRM-115	15 ft
XRM-120	20 ft

Stereo Interconnect

3.5 mm TRS to Same



CMM-103	3 ft
CMM-105	5 ft
CMM-110	10 ft
CMM-115	15 ft

Stereo Interconnect

3.5 mm TRS to Same, Coiled Cable



CMM-105C	5 ft
----------	------

Description	Model	Length
Stereo Interconnect	3.5 mm TRS to Right-angle 3.5 mm TRS	
	CMM-103R	3 ft
	CMM-105R	5 ft
	CMM-110R	10 ft

Stereo Interconnect	Right-angle 3.5 mm TRS to Same	
	CMM-100.8RR	8 in
	CMM-103RR	3 ft
	CMM-105RR	5 ft
	CMM-110RR	10 ft

Stereo Interconnect	3.5 mm TRS to 1/4 in TRS	
	CMS-103	3 ft
	CMS-105	5 ft
	CMS-110	10 ft

Mono Interconnect	1/4 in TS to 3.5 mm TRS	
	CMP-103	3 ft
	CMP-105	5 ft
	CMP-110	10 ft

Mono Interconnect	3.5 mm TS to 1/4 in TS	
	CMP-303	3 ft
	CMP-305	5 ft
	CMP-310	10 ft

Description	Model	Length
Mono Interconnect	3.5 mm TS to Same	
	CMM-303	3 ft
	CMM-305	5 ft
	CMM-310	10 ft

Stereo Interconnect	2.5 mm TRS to Same	
	CMM-503	3 ft

Description

Model

Length

Microphone Cable



Neutrik Right-angle XLR3F to XLR3M, 24 AWG x 2 OFC, 95% OFC Braid

MXM-001.5RS

1.5 ft

MXM-015RS

15 ft

MXM-025RS

25 ft

Microphone Cable



Neutrik XLR3F to Right-angle XLR3M, 24 AWG x 2 OFC, 95% OFC Braid

MXM-001.5SR

1.5 ft

MXM-015SR

15 ft

MXM-025SR

25 ft

Microphone Cable



Neutrik XLR3F to Hosa 3.5 mm TRS, 24 AWG x 2 OFC, 95% OFC Braid

MXM-001.5


1.5 ft

MXM-015

15 ft

MXM-025

25 ft



Microphone Cable



Neutrik Right-angle XLR3F to Hosa 3.5 mm TRS, 24 AWG x 2 OFC, 95% OFC Braid

MXM-001.5RS


1.5 ft

MXM-015RS

15 ft

MXM-025RS

25 ft



Microphone Cable



Hosa 3.5 mm TRS to Neutrik XLR3M, 24 AWG x 2 OFC, 95% OFC Braid

MMX-001.5


1.5 ft


MMX-015


15 ft


MMX-025


25 ft



Description	Model	Length
Microphone Cable	Hosa 3.5 mm TRS to Neutrik XLR3M, 24 AWG x 2 OFC, 95% OFC Braid	
	MMX-101.5	1.5 ft
	MMX-115	15 ft
	MMX-125	25 ft
		

Microphone Cable	Hosa 3.5 mm TRS to Neutrik Right-angle XLR3M, 24 AWG x 2 OFC, 95% OFC Braid	
	MMX-001.5SR	1.5 ft
	MMX-015SR	15 ft
	MMX-025SR	25 ft
		

Microphone Cable	XLR3F to Right-angle 3.5 mm TRS	
	XVM-101F	1 ft
	XVM-105F	5 ft
	XVM-110F	10 ft
	XVM-115F	15 ft
	 <i>This cable is designed to connect a microphone with an XLR output to a mini stereo phone input. It is ideal for connecting a pro mic to a DV camera or portable audio recorder.</i>	

Microphone Cable	Right-angle 3.5 mm TRS to XLR3M	
	XVM-101M	1 ft
	XVM-102M	2 ft
	XVM-105M	5 ft
	XVM-110M	10 ft
	XVM-115M	15 ft
	 <i>This cable is designed to connect a microphone with a mini stereo phone output to an XLR input. It is ideal for connecting a shotgun mic to a pro DV camera.</i>	

Description

Model


Length

Microphone Cable

XLR3F to Right-angle 3.5 mm TS

XVM-305F

5 ft




This cable is designed to connect a microphone with an XLR output to a mini mono phone input. It is ideal for connecting a pro mic to a DV camera, mini audio mixer, or portable audio recorder.

Microphone Cable

Right-angle 3.5 mm TS to XLR3M

XVM-305M

5 ft



This cable is designed to connect an audio device with a mini mono phone output to an XLR input. It is ideal for connecting a wireless receiver to a mixing console or pro DV camera.

Microphone Cable


XLR3F to Right-angle 3.5 mm TRS

XVS-101F

1 ft

XVS-102F

2 ft



This cable is designed to connect a stereo microphone with a single XLR output to a mini stereo phone input. It is ideal for connecting a shotgun mic to a DV camera.

Description	Model	Length
Pro Stereo Interconnect	Dual REAN 1/4 in TRS to Same, 24 AWG x 2 OFC, 90% OFC Spiral	
	HSS-001.5X2	1.5 ft
	HSS-003X2	3 ft
	HSS-005X2	5 ft
	HSS-010X2	10 ft
	HSS-015X2	15 ft
	HSS-020X2	20 ft

Pro Stereo Interconnect	Dual REAN 1/4 in TS to Same, 24 AWG OFC, 90% OFC Spiral	
	HPP-001.5X2	1.5 ft
	HPP-003X2	3 ft
	HPP-005X2	5 ft
	HPP-010X2	10 ft
	HPP-015X2	15 ft
	HPP-020X2	20 ft

Pro Stereo Interconnect	Dual REAN 1/4 in TS to RCA, 24 AWG OFC, 90% OFC Spiral	
	HPR-001.5X2	1.5 ft
	HPR-003X2	3 ft
	HPR-005X2	5 ft
	HPR-010X2	10 ft
	HPR-015X2	15 ft
	HPR-020X2	20 ft

Pro Stereo Interconnect	Dual REAN RCA to Same, 24 AWG OFC, 90% OFC Spiral	
	HRR-003X2	3 ft
	HRR-005X2	5 ft
	HRR-010X2	10 ft
	HRR-015X2	15 ft
	HRR-020X2	20 ft
	HRR-050X2	50 ft
	HRR-075X2	75 ft
	HRR-100X2	100 ft

Description	Model	Length
Stereo Interconnect 	Dual 1/4 in TRS to Same	
	CSS-201	1 m
	CSS-202	2 m
	CSS-203	3 m
	CSS-204	4 m

Stereo Interconnect 	Dual 1/4 in TS to Same	
	CPP-201	1 m
	CPP-202	2 m
	CPP-203	3 m
	CPP-204	4 m
	CPP-206	6 m

Stereo Interconnect 	Dual 1/4 in TS to Dual RCA	
	CPR-201	1 m
	CPR-202	2 m
	CPR-203	3 m
	CPR-204	4 m
	CPR-206	6 m

Stereo Interconnect 	Dual RCA to Same	
	CRA-201	1 m
	CRA-202	2 m
	CRA-203	3 m
	CRA-204	4 m
	CRA-206	6 m

Stereo Interconnect 	Dual RCA to Same, Gold-plated Contacts	
	CRA-201AU	1 m
	CRA-202AU	2 m
	CRA-203AU	3 m

Description	Model	Length
Stereo Interconnect 	Dual RCA to Dual Right-angle RCA	
	CRA-201R	1 m
	CRA-202R	2 m

Stereo Interconnect 	Dual Right-angle RCA to Same	
	CRA-201RR	1 m
	CRA-202RR	2 m

Stereo Interconnect 	Dual RCA to Dual Piggyback RCA	
	CRA-201PB	1 m
	CRA-202PB	2 m

Stereo Interconnect 	Dual RCA to Dual Right-angle RCA with Ground Wire	
	CRA-201DJ	1 m
	CRA-202DJ	2 m
	CRA-203DJ	3 m

Description	Model	Length
Balanced Snake	8-channel, DB25 to Same	
	DBD-301.5	1.5 ft
	DBD-303	3 ft
	DBD-305	5 ft
	DBD-310	10 ft
	DBD-315	15 ft

Balanced Snake	8-channel, XLR3F to DB25	
	DTF-803	3 m
	DTF-804	4 m
	DTF-805	5 m
	DTF-807	7 m

Balanced Snake	8-channel, DB25 to XLR3M	
	DTM-803	3 m
	DTM-804	4 m
	DTM-805	5 m
	DTM-807	7 m

Balanced Snake	8-channel, DB25 to 1/4 in TRS	
	DTP-802	2 m
	DTP-803	3 m
	DTP-804	4 m
	DTP-805	5 m

Balanced Snake	8-channel, XLR3F to XLR3M	
	XLR-802	2 m
	XLR-803	3 m
	XLR-805	5 m
	XLR-807	7 m

Balanced Snake	8-channel, XLR3F to 1/4 in TRS	
	STX-802F	2 m
	STX-803F	3 m
	STX-804F	4 m
	STX-805F	5 m
	STX-807F	7 m

Description	Model	Length
Balanced Snake	8-channel, 1/4 in TRS to XLR3M	
	STX-802M	2 m
	STX-803M	3 m
	STX-804M	4 m
	STX-805M	5 m
	STX-807M	7 m

Balanced Snake	8-channel, 1/4 in TRS to Same	
	CSS-801	1 m
	CSS-802	2 m
	CSS-803	3 m
	CSS-804	4 m
	CSS-805	5 m
	CSS-807	7 m

Unbalanced Snake	8-channel, 1/4 in TS to Same	
	CPP-801	1 m
	CPP-802	2 m
	CPP-803	3 m
	CPP-804	4 m
	CPP-805	5 m

Unbalanced Snake	8-channel, 1/4 in TS to RCA	
	CPR-802	2 m
	CPR-803	3 m

Unbalanced Snake	8-channel, RCA to RCA	
	CRA-802	2 m
	CRA-803	3 m

Insert Snake	4-channel, 1/4 in TRS to Dual 1/4 in TS	
	STP-802	2 m
	STP-803	3 m
	STP-804	4 m

Description**Model****Length****Pro-Conex Stage Box Snake****8 x XLR Sends and 4 x 1/4 in TRS Returns**

SH-8X4-25	25 ft
SH-8X4-50	50 ft
SH-8X4-100	100 ft

12 x XLR Sends and 4 x 1/4 in TRS Returns

SH-12X4-25	25 ft
SH-12X4-50	50 ft
SH-12X4-100	100 ft

16 x XLR Sends and 4 x 1/4 in TRS Returns

SH-16X4-25	25 ft
SH-16X4-50	50 ft
SH-16X4-100	100 ft

Offering an incredible price-to-performance ratio, Hosa's Pro-Conex Stage Box Snakes are an excellent value! Features include:

- Serviceable, all-metal connectors
- Numbered leads
- Individually shielded 24 AWG x 2 OFC conductors
- Heavy-gauge, rolled-steel chassis with black enamel textured finish
- High-contrast silk-screened lettering
- Foil-wrapped, heat shrink-protected internal wiring
- Heavy-duty wire mesh hanger/strain relief

Pro-Conex Little Bro' Sub Snake**6 x XLR Sends and 2 x 1/4 in TRS Returns**

SH-6X2-20	20 ft
SH-6X2-30	30 ft
SH-6X2-50	50 ft

**Pro-Conex Little Bro' Sub Snake****8 x XLR Sends and No Returns**

SH-8X0-25	25 ft
SH-8X0-50	50 ft



Description**Model****Length****Insert Cable****1/4 in TRS to Dual 1/4 in TS**

STP-201	1 m
STP-202	2 m
STP-203	3 m
STP-204	4 m

Insert Cable**Right-angle 1/4 in TRS to Dual Right-angle 1/4 in TS**

STP-201RR	1 m
-----------	-----

Insert Cable**1/4 in TRS to Dual RCA**

TRS-201	1 m
TRS-202	2 m
TRS-203	3 m
TRS-204	4 m


Insert Cable**1/4 in TRS to XLR3M and XLR3F**

SRC-203	3 m
SRC-204	4 m

Insert Direct-out Adapter**Serviceable 1/4 in TRS to 1/4 in TSF**

DOC-106

6 in



■ Hot ■ Ground ■ Cold

This cable is designed to convert an insert on a mixing console to a direct output.

Description	Model	Length
-------------	-------	--------

Pro Stereo Breakout	REAN 3.5 mm TRS to Dual XLR3M	
----------------------------	--------------------------------------	--



HMX-003Y	3 ft
HMX-006Y	6 ft
HMX-010Y	10 ft
HMX-015Y	15 ft

Ideal for connecting an iPod®, laptop, or similar device to a mixing console.

Pro Stereo Breakout	REAN 3.5 mm TRS to Dual 1/4 in TS	
----------------------------	--	--



HMP-003Y	3 ft
HMP-006Y	6 ft
HMP-010Y	10 ft

Ideal for connecting an iPod®, laptop, or similar device to a mixing console.

Pro Stereo Breakout	REAN 3.5 mm TRS to Dual RCA	
----------------------------	------------------------------------	--



HMR-003Y	3 ft
HMR-006Y	6 ft
HMR-010Y	10 ft

Ideal for connecting an iPod®, laptop, or similar device to a hi-fi receiver.

Microphone Cable	Dual XLR3F to Right-angle 3.5 mm TRS	
-------------------------	---	--



CYX-401F	1 ft
CYX-402F	2 ft
CYX-405F	5 ft

Ideal for connecting pro mics to a DV camera or portable audio recorder.

Stereo Breakout	3.5 mm TRS to Dual XLR3M	
------------------------	---------------------------------	--



CYX-402M	2 m
CYX-403M	3 m

Ideal for connecting an iPod®, laptop, or similar device to a mixing console.

Description	Model	Length
-------------	-------	--------

Stereo Breakout	3.5 mm TRS to Dual 1/4 in TS	
------------------------	-------------------------------------	--



CMP-153	3 ft
CMP-159	10 ft

Ideal for connecting an iPod®, laptop, or similar device to a mixing console.

Stereo Breakout	3.5 mm TRS to Dual RCA	
------------------------	-------------------------------	--



CMR-203	3 ft
CMR-206	6 ft
CMR-210	10 ft
CMR-215	15 ft
CMR-225	25 ft

Ideal for connecting an iPod®, laptop, or similar device to a hi-fi receiver.

Stereo Breakout	Right-angle 3.5 mm TRS to Dual RCA	
------------------------	---	--



CMR-203R	3 ft
CMR-206R	6 ft

Ideal for connecting an iPod®, laptop, or similar device to a hi-fi receiver.

Stereo Breakout	3.5 mm TRSF to Dual RCA	
------------------------	--------------------------------	--



CFR-210	10 ft
---------	-------

Stereo Breakout	1/4 in TRS to Dual 1/4 in TSF	
------------------------	--------------------------------------	--



YPP-117	N/A
---------	-----

Description	Model	
Stereo Breakout 	1/4 in TRSF to Dual 1/4 in TS YPP-136	N/A
Stereo Breakout 	1/4 in TRS to Dual RCA YPR-102	N/A
Stereo Breakout 	1/4 in TRSF to Dual RCA YPR-257	N/A
Stereo Breakout 	Right-angle 1/4 in TRS to Dual 3.5 mm TRSF YPM-523	N/A
Stereo Breakout 	3.5 mm TRS to Dual 1/4 in TSF YMP-137	N/A
Stereo Breakout 	3.5 mm TRSF to Dual 1/4 in TS YMP-434	N/A

Description	Model	Length
Stereo Breakout 	3.5 mm TRS to Dual RCAF YRA-154	N/A
Stereo Breakout 	3.5 mm TRSF to Dual RCA YMR-197	N/A
Stereo Breakout 	Right-angle 3.5 mm TRS to Dual RCAF YRA-167	N/A
Stereo Breakout 	3.5 mm TRS to Dual 3.5 mm TS YMM-152	12 in
Stereo Breakout 	3.5 mm TRS to Dual 3.5 mm TSF YMM-261	N/A

Description	Model	Length
Y Cable	1/4 in TRS to Dual 1/4 in TRS	
	CYS-103	3 ft
	CYS-105	5 ft

Y Cable	1/4 in TS to Dual 1/4 in TS	
	CYP-103	3 ft
	CYP-105	5 ft

Y Cable	1/4 in TS to Dual RCA	
	CYR-101	1 m
	CYR-102	2 m
	CYR-103	3 m

Y Cable	RCA to Dual RCA	
	CYA-103	3 ft

Y Cable	Dual XLR3F to XLR3M	
	YXF-119	6 in
	YXF-101.5	18 in

Description	Model	Length
Y Cable	XLR3F to Dual XLR3M	
	YXM-121	6 in
	YXM-101.5	18 in

Y Cable	1/4 in TRS to Dual 1/4 in TRSF	
	YPP-118	N/A

Y Cable	1/4 in TRSF to Dual 1/4 in TRS	
	YPP-308	N/A

Y Cable	1/4 in TRS to Dual 3.5 mm TRSF	
	YMP-234	N/A

Y Cable	1/4 in TS to Dual 1/4 in TSF	
	YPP-111	N/A

Y Cable	1/4 in TSF to Dual 1/4 in TS	
	YPP-106	N/A

Description	Model	Length
-------------	-------	--------

Y Cable**1/4 in TS to Dual RCAF**

YPR-103

N/A

Y Cable**1/4 in TSF to Dual RCA**

YPR-131

N/A

Y Cable**1/4 in TS to Dual RCA**

YPR-124

N/A

Y Cable**1/4 in TSF to Dual RCAF**

YRA-115

N/A

Y Cable**RCA to Dual RCAF**

YRA-104

N/A

Y Cable**RCAF to Dual RCA**

YRA-105

N/A

Description	Model	Length
-------------	-------	--------

Y Cable**3.5 mm TRS to
Dual 1/4 in TRSF**

YMP-233

N/A


Y Cable**3.5 mm TRS to
Dual 3.5 mm TRSF**

YMM-232


N/A

Description	Model
-------------	-------


Gender Changer	XLR3F to Same
-----------------------	----------------------




Adapter	XLR3F to 1/4 in TRS
----------------	----------------------------




Adapter	XLR3F to RCA
----------------	---------------------




Gender Changer	XLR3M to Same
-----------------------	----------------------




Adapter	XLR3M to 1/4 in TRS
----------------	----------------------------



Adapter	XLR3M to RCA
----------------	---------------------




Adapter	1/4 in TRS to XLR3M
----------------	----------------------------




Description	Model
-------------	-------


Adapter	1/4 in TRS to XLR3F
----------------	----------------------------




Coupler	1/4 in TRS to Same
----------------	---------------------------



Right-angle Adapter	1/4 in TRS to Same
----------------------------	---------------------------




Adapter	1/4 in TRS to 1/4 in TS
----------------	--------------------------------



Adapter	1/4 in TRS to 3.5 mm TRS
----------------	---------------------------------



Adapter	Dual 1/4 in TRS to 1/4 in TRS
----------------	--------------------------------------



Description	Model	Qty
Adapter	1/4 in TS to 1/4 in TRS	
	GPP-419	N/A
Adapter	1/4 in TS to RCA	
	GPR-104	N/A
Adapter	1/4 in TS to 3.5 mm TS	
	GMP-113	N/A
Adapter	1/4 in TS to 3.5 mm TRS	
	GMP-386	N/A
Couplers	RCA to Same	
	GRA-101	2 pc
Adapter	RCA to XLR3M	
	GXM-133	N/A
Adapter	RCA to XLR3F	
	GXF-132	N/A

Description	Model	Qty
Adapters	RCA to 1/4 in TS	
	GPR-101	2 pc
Right-angle Adapters	RCA to 1/4 in TS	
	GPR-123	2 pc
Right-angle Adapters	RCA to Same	
	GRA-259	2 pc
Adapter	Dual RCA to RCA	
	GRF-398	N/A
Adapters	RCA to 3.5 mm TS	
	GRM-114	2 pc
Adapter	Dual RCA to 1/4 in TRS	
	GPR-484	N/A

Description	Model	
Adapter	Dual RCA to 3.5 mm TRS	
	GRM-193	N/A
Coupler	3.5 mm TRS to Dual RCA	
	GRF-341	N/A
Coupler	3.5 mm TRS to Same	
	GMM-303	N/A
Adapter	3.5 mm TRS to 1/4 in TRS	
	GPM-103	N/A
Adapter	3.5 mm TRS to 1/4 in TS	
	GPM-179	N/A
Right-angle Adapter	3.5 mm TRS to Same	
	GMP-272	N/A
Adapter	3.5 mm TRS to 2.5 mm TRS	
	GMP-471	N/A

Description	Model	Length
Right-angle Adapter	3.5 mm TRS to 2.5 mm TRS	
	GMP-467	N/A
Adapter	2.5 mm TRS to 3.5 mm TRS	
	GMP-500	N/A
Low-voltage Adapter	XLR3F to PHX3M	
	PHX-106F-BULK	6 in
<i>This adapter connects bare wire to gear with XLR outputs</i>		
Low-voltage Adapter	PHX3M to XLR3M	
	PHX-106M-BULK	6 in
<i>This adapter connects bare wire to gear with XLR inputs</i>		
Low-voltage Adapter	XLR3F to PHX3F	
	PHX-206F-BULK	6 in
<i>This adapter connects gear with XLR outputs to gear with Phoenix jacks</i>		
Low-voltage Adapter	PHX3F to XLR3M	
	PHX-206M-BULK	6 in
<i>This adapter connects gear with Phoenix jacks to gear with XLR inputs</i>		

Description	Model	Qty
Patch Bay 	12-point, XLR3F to XLR3M, De-normalled PDR-369	N/A
Patch Bay Module 	3-point, XLR3F to XLR3M, De-normalled MXL-369	N/A
	8-point, 1/4 in TRS to Same, Half-normalled MHB-350	N/A
19-inch Rack 	12 U, Rolling Design RMT-152	N/A
19-inch Rack 	11 U, Table-top Design RMT-254	N/A
Rack Mounting Hardware 	24 Screws x 24 Washers RMC-180	24 pc
Monkey Bars Patch Cable Holder 	White PCH-212	N/A
<i>The Monkey Bars Patch Cable Holder is the ideal solution to store patch cables at reach. Monkey Bars can be set on a wall, a desktop, and even a microphone stand.</i> • Pole adapter for easy transition from studio to live stage • Accessory bins on both sides for adapter storage • Heavy-duty construction for added durability		

Description**Model****Length****Balanced Patch Cables****1/4 in TRS to Same, 8 pc**

CSS-830

1 ft

CSS-845

1.5 ft

CSS-890

3 ft

Balanced Patch Cables**TT TRS to Same, 8 pc**

TTS-830

1 ft

TTS-845

1.5 ft

TTS-890

3 ft

Unbalanced Patch Cables**1/4 in TS to Same, 8 pc**

CPP-830

1 ft

CPP-845

1.5 ft

CPP-890

3 ft

Unbalanced Patch Cables**3.5 mm TS to Same, 8 pc**

CMM-815

6 in

CMM-830

1 ft

CMM-845

1.5 ft

CMM-890

3 ft

Hopscotch Patch Cables**3.5 mm TS with 3.5 mm TSF Pigtail to 3.5 mm TS, 5 pc**

CMM-515Y

6 in

CMM-545Y

1.5 ft

CMM-500Y-MIX

Various Lengths

Hosa's new Hopscotch Patch Cables are the perfect solution for modular synthesizers equipped with mono mini jacks. The pigtail mono mini jack gives users the ability to "jump" the signal to another input point while keeping the original patch intact.

Description**Model****Option****Knucklebones Signal Splitter****3.5 mm X 6**

GMM-105

Red

GMM-105-PAK

10 pc, Red

Knucklebones are fun, easy to use 1-to-5 mults ideal for Eurorack-style modular synthesizers. The individual GMM-105 can be merchandised on a product wall or Hosa POP while GMM-105-PAK consists of 10 mults that can be sold as a 10-pack or placed on a sales counter for individual impulse buys.

Description	Model	Length
Audio Switcher	1/4 in TRS to 3 x 1/4 in TRS	
	SLW-333	N/A
<i>The Hosa SLW-333 Audio Switcher is ideal for switching between one source and three pairs of powered monitors or vice versa. It is intended for line-level signals only, not for speaker-level signals.</i>		

Stereo Headphones	Supra-aural, Closed Design	
	HDS-100	N/A

Pro Headphone Extension Cable	REAN 1/4 in TRS to 1/4 in TRS, 24 AWG x 2 OFC, 90% OFC Spiral	
	HXSS-005	5 ft
	HXSS-010	10 ft
	HXSS-025	25 ft

Pro Headphone Adapter Cable	REAN 3.5 mm TRS to 1/4 in TRS, 24 AWG x 2 OFC, 90% OFC Spiral	
	HXMS-005	5 ft
	HXMS-010	10 ft
	HXMS-025	25 ft

Pro Headphone Extension Cable	REAN 3.5 mm TRS to 3.5 mm TRS, 24 AWG x 2 OFC, 90% OFC Spiral	
	HXMM-005	5 ft
	HXMM-010	10 ft
	HXMM-025	25 ft

Description	Model	Length
Pro Headphone Adapter Cable	REAN 1/4 in TRS to 3.5 mm TRS, 24 AWG x 2 OFC, 90% OFC Spiral	
	HXSM-005	5 ft
	HXSM-010	10 ft
	HXSM-025	25 ft

Headphone Extension Cable	1/4 in TRS to 1/4 in TRS	
	HPE-310	10 ft
	HPE-325	25 ft

Headphone Extension Cable	1/4 in TRS to 1/4 in TRS, Coiled Cable	
	HPE-325C	25 ft

Headphone Adapter Cable	3.5 mm TRS to 1/4 in TRS	
	MHE-310	10 ft
	MHE-325	25 ft

Headphone Extension Cable	3.5 mm TRS to 3.5 mm TRS	
	MHE-102	2 ft
	MHE-105	5 ft
	MHE-110	10 ft
	MHE-125	25 ft

Description	Model	Length
Headset/Mic Breakout Cable  	3.5 mm TRRSF to Dual 3.5 mm TRS YMM-107	N/A
This cable is designed to split the microphone and headphones signal from a headset. It is ideal for laptops with separate mic and headphone jacks.		
Headset/Mic Breakout Cable  	3.5 mm TRRS to Dual 3.5 mm TRSF YMM-108	N/A
This cable is designed to split or join a microphone and headphones signal. It is ideal for connecting headphones and a microphone to devices with a single TRRS jack.		
Headphone Adapter 	3.5 mm TRS to 1/4 in TRS GHP-105	N/A
Headphone Adapter 	3.5 mm TRRS to Slim 3.5 mm TRRS MHE-158	N/A
• Slim connector fits most protective cases • Longer housing ideal for battery-equipped cases • Short cable relieves stress on headphone jack		
Headphone Adapter 	1/4 in TRS to Right-angle 3.5 mm TRS MHE-100.5	6 in
Air Travel Headphone Adapter 	3.5 mm TRSF to Dual Right-angle 3.5 mm TS YMM-492	N/A

Description	Model	Length
Microphone Cable 	20 AWG x 2 OFC, 95% OFC Braid	
	CMK-BULK	1000 ft
	24 AWG x 2 OFC, 95% OFC Braid	
	MMK-BULK	1000 ft
Speaker Cable 	14 AWG x 4 OFC	
	SKO-400	300 ft
	12 AWG x 2 OFC	
	SKJ-200	250 ft
	14 AWG x 2 OFC	
	SKJ-400	250 ft
	16 AWG x 2 OFC	
	SKJ-600	500 ft
Speaker Cable 	16 AWG x 2 OFC, Black Zip	
	SKZ-600	500 ft
AES/EBU Cable 	Hosa 110-ohm Cable	
	EBU-BULK	500 ft

Description	Model	
Neutrik Connector 	XLR3F, Silver-plated Contacts, Black-chrome Housing	NC3FXX-BAG N/A
Neutrik Connector 	XLR3F, Silver-plated Contacts, Nickel Housing	NC3FXX N/A
Neutrik Connector 	Right-angle XLR3F, Silver-plated Contacts, Nickel Housing	NC3FRX N/A
Neutrik Connector 	XLR3F, D flange, Silver-plated Contacts, Nickel Housing	NC3FD-L1 N/A
Neutrik Connector 	XLR3M, Silver-plated Contacts, Black-chrome Housing	NC3MXX-BAG N/A
Neutrik Connector 	XLR3M, Silver-plated Contacts, Nickel Housing	NC3MXX N/A
Neutrik Connector 	Right-angle XLR3M, Silver-plated Contacts, Nickel Housing	NC3MRX N/A

Description	Model	
Neutrik Connector 	XLR3M, D flange, Silver-plated Contacts, Nickel Housing	NC3MD-L1 N/A
Neutrik Connector 	1/4 in TS, Nickel-plated Contacts, Nickel Housing	NP2X N/A
Neutrik Connector 	Right-angle 1/4 in TS, Nickel-plated Contacts, Nickel Housing	NP2RX N/A
Neutrik Connector 	2-pole speakON	NL2FX N/A
Neutrik Connector 	4-pole speakON	NL4FX N/A
Neutrik Connector 	4-pole speakON, D flange	NL4MP N/A
Neutrik Connector 	4-pole speakON, G flange	NL4MPR N/A

Description	Model	
Switchcraft Connector	XLR3F, Silver-plated Contacts, Nickel Housing	
	AAA3FZ	N/A
Switchcraft Connector	XLR3M, Silver-plated Contacts, Nickel Housing	
	AAA3MZ	N/A
Connector	XLR3F, Internal Strain Relief	
	XLF-035-BULK	N/A
Connector	XLR3M, Internal Strain Relief	
	XLM-035-BULK	N/A
Connector	XLR3F, Clamp Strain Relief	
	XLF-025	N/A
Connector	XLR3M, Clamp Strain Relief	
	XLM-025	N/A
Connector	Right-angle XLR3F, Clamp Strain Relief	
	XRR-318F	N/A

Description	Model	
Connector	Right-angle XLR3M, Clamp Strain Relief	
	XRR-318M	N/A
Connector	1/4 in TRS	
	PLG-025S	N/A
Connector	Right-angle 1/4 in TRS	
	PRG-370S	N/A
Connector	1/4 in TS	
	PLG-025	N/A
	PLG-025W	N/A
Connector	Jumbo 1/4 in TS	
	JMB-025	N/A
	JMB-025W	N/A

Description	Model	Option
Connector	Right-angle 1/4 in TS	
	PRG-370	N/A
	PRG-370AU-BULK	N/A

Connector	RCA	
	RCA-025	2 pc, White/Red
	RCA-025RD-BULK	Red

Connector	3.5 mm TRS	
	PLG-035-BULK	N/A

Connector	Dual Banana	
	BNA-100	2 pc
	BNA-100BK-BULK	Black
	BNA-100RD-BULK	Red

Connector	Dual Banana	
	BNA-240	2 pc
	BNA-240BK-BULK	Black
	BNA-240RD-BULK	Red

Description	Model	Option
Connector	Dual Banana	
	BNA-260BK	Black
	BNA-260RD	Red

Connector	Phoenix 3-pole Female	
	PHX-100F-BULK	N/A

Connector	Phoenix 3-pole Female, Strain Relief	
	PHX-300F-BULK	N/A

Description	Model	Length
Drive Bluetooth Audio Interface	Transmitter and Receiver, Stereo 3.5 mm TRS jack	
	IBT-402	N/A
The Hosa Drive Bluetooth Audio Interface adds wireless sound to audio gear not equipped with Bluetooth technology. • Use as transmitter or receiver to fit your needs • Quick pairing for easy set-up of devices • Play your music for up to 8 hours in TX mode		

AES/EBU Cable**XLR3F to XLR3M, 110-ohm Cable**

EBU-003	3 ft
EBU-005	5 ft
EBU-010	10 ft
EBU-020	20 ft
EBU-025	25 ft
EBU-030	30 ft
EBU-050	50 ft
EBU-100	100 ft

AES/EBU Snake**DB25 to 4 x XLR3M and 4 x XLR3F**

AES-803T	3 m
AES-805Y	5 m

AES-803T Compatible with Digidesign and Tascam

AES-805Y Compatible with Apogee, Mackie, TC Electronics, and Yamaha

Description	Model	Length
Pro Fiber Optic Cable	Toslink to Same	
	OPM-303	3 ft
	OPM-305	5 ft
	OPM-310	10 ft
	OPM-315	15 ft
	OPM-320	20 ft
	OPM-330	30 ft
<i>Compatible with ADAT and all S/PDIF formats</i>		

Fiber Optic Cable	Toslink to Same	
	OPT-102	2 ft
	OPT-103	3 ft
	OPT-106	6 ft
	OPT-110	10 ft
	OPT-130	30 ft
<i>Compatible with ADAT and all S/PDIF formats</i>		

Fiber Optic Adapter	Toslink to Mini-Toslink	
	GOP-490	N/A
	<i>Compatible with PC sound cards</i>	

S/PDIF Coax	RCA to Same, 75-ohm Coax	
	DRA-501	1 m
	DRA-502	2 m
	DRA-503	3 m
	DRA-504	4 m
	DRA-506	6 m
<i>Also ideal for composite video</i>		

Description	Model
Digital Audio Interface	S/PDIF Optical to AES/EBU
	ODL-312
	N/A
The Hosa ODL-312 allows simultaneous transfer between S/PDIF optical and AES/EBU digital audio formats. It is ideal for interconnecting digital audio workstations, recorders, and other digital audio gear regardless of I/O format. Features include: • Two channels S/PDIF optical to AES/EBU and vice versa • Simultaneous conversion in both directions if required • Support for 24-bit/96 kHz S/PDIF audio • AC adapter included	

Digital Audio Interface	S/PDIF Coax to AES/EBU
	CDL-313
	N/A
The Hosa CDL-313 allows simultaneous transfer between S/PDIF coax and AES/EBU digital audio formats. It is ideal for interconnecting digital audio workstations, recorders, and other digital audio gear regardless of I/O format. Features include: • Two channels S/PDIF coax to AES/EBU and vice versa • Simultaneous conversion in both directions if required • Support for 24-bit/96 kHz S/PDIF audio • AC adapter included	

Description	Model	Length
High Speed HDMI Cable with Ethernet 	HDMI to HDMI	
	HDMA-401.5	1.5 ft
	HDMA-403	3 ft
	HDMA-406	6 ft
	HDMA-410	10 ft
	HDMA-415	15 ft
	HDMA-425	25 ft

High Speed HDMI Cable with Ethernet 	HDMI to HDMI Micro	
	HDMM-406	6 ft

Ideal for GoPro® Video Cameras

High Speed HDMI Cable with Ethernet 	HDMI to HDMI Mini	
	HDMC-403	3 ft
	HDMC-406	6 ft
	HDMC-410	10 ft

Standard Speed HDMI Cable 	HDMI to DVI-D	
	HDMD-403	3 ft
	HDMD-406	6 ft
	HDMD-410	10 ft

HDMI Adapter 	HDMI to DVI-D	
	NDH-445	N/A

Description**Model****Length****VGA Cable****DE15 to Same**

VGA-503	3 ft
VGA-506	6 ft
VGA-510	10 ft
VGA-515	15 ft
VGA-525	25 ft
VGA-550	50 ft
VGA-5100	100 ft

VGA AV Cable**DE15 to Same, Integrated 3.5 mm to Same Audio Interconnect**

VGM-506	6 ft
VGM-550	50 ft

VGA Breakout**DE15 to 5 x BNC**

RGB-515	15 ft
RGB-520	20 ft

VGA Coupler**DE15 to Same**

GGC-451	N/A
---------	-----

VGA Adapter**DE15 to DVI-I**

NDV-431	N/A
---------	-----

Component Video Cable**Triple RCA to Same, 75-ohm Triplex**

VCC-300.5	0.5 m
VCC-301	1 m
VCC-304	4 m

Description	Model	Length
S-Video Cable	S-Video to Same, Gold-plated Pins	
	SVC-115AU	15 ft
	SVC-125AU	25 ft
	SVC-150AU	50 ft
	SVC-1100AU	100 ft

S-Video AV Cable	S-Video to Same, Integrated Dual RCA to Same Audio Interconnect	
	VSR-302	2 m
	VSR-303	3 m
	VSR-304	4 m

S-Video Breakout	S-video to Dual RCAF	
	VSF-454	10 in
	<i>Separates luminance and chrominance</i>	

Description	Model	Qty
S-Video Connectors	Solder Termination	
	NSV-252	2 pc

Description	Model	Length
Camcorder AV Breakout Cable	3.5 mm TRRS to Composite Video and Stereo Audio	
	C3M-105	5 ft
	C3M-110	10 ft
	<i>Not for iPod®</i>	

Description	Model	Length
Pro 75-ohm Coax	BNC to Same, RG-6/U, 18 AWG OFC	
	BNC-06-103	3 ft
	BNC-06-106	6 ft
	BNC-06-110	10 ft
	BNC-06-125	25 ft
	BNC-06-150	50 ft
	BNC-06-1100	100 ft

For low-power video and RF applications

75-ohm Coax	BNC to Same, RG-59/U	
	BNC-59-103	3 ft
	BNC-59-106	6 ft
	BNC-59-110	10 ft
	BNC-59-115	15 ft
	BNC-59-125	25 ft
	BNC-59-150	50 ft
	BNC-59-1100	100 ft

For low-power video and RF applications

75-ohm Coax	BNC to RCA, RG-59/U	
	BNR-106	6 ft
	<i>For low-power video and RF applications</i>	

75-ohm Coax	F to Same, RG-59/U	
	VDF-110	10 ft
	VDF-120	20 ft
<i>For low-power video and RF applications</i>		

Description	Model	Qty
75-ohm Coupler	BNC to Same	
	NBN-302	N/A

75-ohm Adapter	BNC to RCA	
	NBR-271	N/A

75-ohm Coupler	BNC to RCA	
	NBR-321	N/A

75-ohm Adapter	RCA to BNC	
	NBR-253	N/A

75-ohm Couplers	F to Same	
	NFF-339	2 pc

75-ohm Adapter	F to BNC	
	NBF-354	N/A

75-ohm Adapter	F to RCA	
	NRF-264	N/A

Description	Model	Length
Pro MIDI Cable 	Serviceable 5-pin DIN to Same	
	MID-503	3 ft
	MID-505	5 ft
	MID-510	10 ft
	MID-515	15 ft
	MID-520	20 ft
	MID-525	25 ft
<i>Wired 5-pin discrete</i>		
MIDI Cable 	5-pin DIN to Same, Black	
	MID-301BK	1 ft
	MID-303BK	3 ft
	MID-305BK	5 ft
	MID-310BK	10 ft
	MID-315BK	15 ft
	MID-320BK	20 ft
	MID-325BK	25 ft
<i>Wired 5-pin discrete</i>		
MIDI Cable 	5-pin DIN to Same, Red	
	MID-303RD	3 ft
	MID-305RD	5 ft
	MID-310RD	10 ft
	MID-315RD	15 ft
<i>Wired 5-pin discrete</i>		
Right-angle MIDI Cable 	Right-angle 5-pin DIN to Same	
	MID-303RR	3 ft
	MID-305RR	5 ft
	MID-310RR	10 ft
<i>Wired 5-pin discrete</i>		
Dual MIDI Cable 	Dual 5-pin DIN to Same	
	MID-201	1 m
	MID-202	2 m
	MID-203	3 m
	MID-204	4 m
<i>Wired 5-pin discrete</i>		
TRACKLINK MIDI to USB Interface 	MIDI I/O to USB Type A	
	USM-422	6 ft
<i>The fun and easy way to connect your MIDI device to your computer</i> • Plug and play—no driver required • Supports up to 16 MIDI channels • Compatible with most Mac and Windows audio software		
MIDI Coupler 	5-pin DIN to Same	
	GMD-108	N/A

Description	Model	Length
Synthesizer Controller Cable 	8-pin Mini-DIN to DE9 DBK-103 <i>Compatible with Korg, Roland, and Yamaha electronic keyboards</i>	3 ft
CD Controller Cable 	Right-angle 8-pin Mini-DIN to Same CCD-103 <i>Compatible with most DJ CD players</i>	3 ft
Phantom MIDI Cable 	Right-angle 7-pin DIN to 7-pin DIN ADA-725-BULK <i>Compatible with Bose L1 Model I</i>	25 ft
TDIF Dubbing Cable 	DB25 to Same DBK-303	3 ft
Coupler 	DE9 to Same GGC-301	N/A

Description	Model	Length
 	Type C to Same	
	USB-306CC	6 ft
	<i>Conforms to USB 3.1 (gen 2) Serial Bus interface standard</i>	
 	Type A to Type C	
	USB-306CA	6 ft
	<i>Conforms to USB 3.0 Serial Bus interface standard</i>	
	Type A to Type B	
	USB-306AB	6 ft
	<i>Conforms to USB 3.0 Serial Bus interface standard</i>	
	Type A to Micro-B	
	USB-306AC	6 ft
	USB-310AC	10 ft
	<i>Conforms to USB 3.0 Serial Bus interface standard</i>	
	Type A to Type B	
	USB-203AB	3 ft
	USB-205AB	5 ft
	USB-210AB	10 ft
	USB-215AB	15 ft
	<i>Conforms to USB 2.0 Serial Bus interface standard</i>	
	Type A to Micro-B	
	USB-206AC	6 ft
	<i>Conforms to USB 2.0 Serial Bus interface standard</i>	
	Type A to Mini B	
	USB-206AM	6 ft
	<i>Conforms to USB 2.0 Serial Bus interface standard</i>	
	Type A to Type A	
	USB-205AF	5 ft
	USB-210AF	10 ft
	<i>USB 2.0 maximum length 5 m (16.5 ft)</i>	

Description**Model****Length****Cat 6 Cable****8P8C to Same, 24 AWG OFC, SFTP**

CAT-605BK

5 ft

CAT-610BK

10 ft

CAT-625BK

25 ft

CAT-650BK

50 ft

CAT-6100BK*

100 ft

Ships on hand crank reel*Cat 5e Cable****8P8C to Same, UTP, Black**

CAT-501BK

1 ft

CAT-503BK

3 ft

CAT-505BK

5 ft

CAT-510BK

10 ft

CAT-525BK

25 ft

CAT-550BK

50 ft

CAT-5100BK

100 ft

50-ohm Coax**BNC to Same, RG-58/U**

BNC-58-101

1 ft

BNC-58-101.5

1.5 ft

BNC-58-103

3 ft

BNC-58-106

6 ft

BNC-58-110

10 ft

BNC-58-125

25 ft

BNC-58-150

50 ft

BNC-58-1100

100 ft

For data and antenna applications

Description	Model	Length
DMX512 Cable 	XLR5M to XLR5F, 24 AWG X 4 OFC, 120-ohm Cable	
	DMX-005	5 ft
	DMX-010	10 ft
	DMX-025	25 ft
	DMX-050	50 ft
	DMX-100	100 ft

DMX512 Cable 	XLR5M to XLR5F, 24 AWG X 2 OFC, 110-ohm Cable	
	DMX-503	3 ft
	DMX-505	5 ft
	DMX-510	10 ft
	DMX-520	20 ft
	DMX-525	25 ft
	DMX-530	30 ft
	DMX-550	50 ft
	DMX-5100	100 ft

DMX512 Cable 	XLR3M to XLR3F, 24 AWG X 2 OFC, 110-ohm Cable	
	DMX-303	3 ft
	DMX-305	5 ft
	DMX-310	10 ft
	DMX-315	15 ft
	DMX-320	20 ft
	DMX-325	25 ft
	DMX-330	30 ft
	DMX-350	50 ft
	DMX-3100	100 ft

Description	Model	Length
DMX512 Terminator 	XLR5M	
	DMT-485	N/A
	120-ohm resistor	

DMX512 Terminator 	XLR3M	
	DMT-414	N/A
	120-ohm resistor	

DMX512 Adapter 	XLR5M to XLR3F, 110-ohm Cable	
	DMX-106	6 in

DMX512 Adapter 	XLR3M to XLR5F, 110-ohm Cable	
	DMX-306	6 in

Description	Model	Length
Power Cord	Neutrik powerCON to Same, 12 AWG x 3 OFC, Black Jacket	
	PCN-206	6 ft
	PCN-210	10 ft
	PCN-225	25 ft

Power Cord	Neutrik powerCON to Hosa NEMA 5-15P, 12 AWG x 3 OFC, Black Jacket	
	PWN-210	10 ft

Power Cord	IEC C13 to NEMA 5-15P, 14 AWG x 3 OFC, Black Jacket	
	PWC-401.5	1.5 ft
	PWC-403	3 ft
	PWC-408	8 ft
	PWC-415	15 ft
	PWC-425	25 ft
	PWC-450	50 ft

Power Cord	Piggyback IEC C13 to NEMA 5-15P, 14 AWG x 3 OFC, Black Jacket	
	PWD-401	1 ft
	PWD-402	2 ft

Power Cord	IEC C13 to NEMA 5-15P, 18 AWG x 3 OFC, Black Jacket	
	PWC-140.5	6 in
	PWC-141	1 ft
	PWC-141.5	1.5 ft
	PWC-143	3 ft
	PWC-148	8 ft

Description	Model	Length
Power Cord	Right-angle IEC C13 to NEMA 5-15P, 18 AWG x 3 OFC, Black Jacket	
	PWC-141R	1 ft
	PWC-141.5R	1.5 ft
	PWC-143R	3 ft
	PWC-148R	8 ft

Power Extension Cord	IEC C14 to IEC C13, 14 AWG x 3 OFC, Black Jacket	
	PWL-401.5	1.5 ft
	PWL-403	3 ft
	PWL-408	8 ft

Power Y Cable	Dual IEC C13 to NEMA 5-15P, 18 AWG x 3 OFC, Black Jacket	
	YIE-406	1.5 ft

Power Adapter	IEC C13 to NEMA 5-15P	
	PWA-421	N/A

Power Cord	IEC C7 to NEMA 1-15P, 18 AWG x 2 OFC, Black Zip	
	PWP-426	8 ft

Description	Model	Length
Power Cord	IEC C7 polarized to NEMA 1-15P, 18 AWG x 2 OFC, Black Zip	
	PWP-461	8 ft

Power Cord	IEC C9 to NEMA 1-15P, 18 AWG x 2 OFC, Black Jacket	
	PWC-178	8 ft

Power Extension Cord	NEMA 5-15R to NEMA 5-15P, 14 AWG x 3 OFC, Black Jacket	
	PWX-401.5	1.5 ft
	PWX-403	3 ft
	PWX-408	8 ft
	PWX-415	15 ft
	PWX-425	25 ft
	PWX-450	50 ft
	PWX-4100	100 ft

Power Distribution Cord	3 x NEMA 5-15R to NEMA 5-15P, 12 AWG x 3 OFC, Black Jacket	
	PDX-225	25 ft
	6 x NEMA 5-15R to NEMA 5-15P, 12 AWG x 3 OFC, Black Jacket	
	PDX-250	50 ft
	6 x NEMA 5-15R to NEMA 5-15P, 14 AWG x 3 OFC, Black Jacket	
	PDX-430	30 ft

Description	Model	Option
Power Extension Y Cable	Dual NEMA 5-15R to NEMA 5-15P, Black Jacket, 1.5 ft	
	YAC-406	14 AWG x 3 OFC
	YAC-407	18 AWG x 3 OFC

Description	Model	Length
Right-angle Power Adapter	NEMA 5-15R to NEMA 5-15P	
	PWA-486	N/A

Universal Power Adapter	Selectable up to 12 VDC 1200 mA	
	ACD-477	N/A

This adapter is designed to supply power where and when you need it. With selectable DC output up to 12 V and plugs to fit most small electronic devices, it replaces a box full of batteries. Features include:

- Auto-detection of AC input from 100 to 240 V for global use
- Selectable DC output for 3, 4.5, 6, 7.5, 9, or 12 V operation
- Six interchangeable plugs to fit most small electronic devices

Daisy Chain Extension Cord		
	PDC-373	N/A


This cable is designed to extend direct current from a power adapter with a 2.1 mm DC plug to up to four guitar pedal effects with 2.1 mm DC jacks. It is ideal for use with the Hosa ACD-477 Universal Power Adapter.

Description	Model	Box Qty
Duracell Procell Batteries	Alkaline	
	PRO-AA4	24 pc
	PRO-AAA4	24 pc
	PRO-9V12	12 pc

Description**Model****Microphone Stand****Scissor Arm,
Supports up to 4 lbs.**

MSB-265

N/A



- All metal construction
- Clamps to a desk or table
- Ideal for podcasters and content creators

NEW!**Microphone Stand****Foldable Tripod Base,
110-168 mm Height**

MST-224

N/A



- Die-cast steel
- Portable and light
- Ideal for podcasters or content creators using different locations

NEW!**Microphone Stand****Tripod Base, Height 1100-1820 mm,
Boom 530-910 mm**

MSB-521BK

N/A

**Boom Only**

MSB-446

N/A

Microphone Stand**Tripod Base, Height 540 mm,
Boom 530-910 mm**

MSB-382BK

N/A

**Description****Model****Guitar Stand****Traditional-style,
Height 635-780 mm**

GST-437

N/A

**Keyboard Stand****Single-X, Height 640-980 mm**

KBT-442

N/A

**Keyboard Cover****61-76 Key**

KBC-176

N/A

**Music Stand****Conductor-style, Folding Base,
Height 940-1420 mm**

MUS-439

N/A



Description	Model	Option
Microphone Windscreen 	Ideal for Ball-style Microphones MWS-225	Black
Microphone Clip 	Choose Rubber or Plastic MHR-422 MHR-425 MHR-222 MHR-225	22 mm, Rubber 25 mm, Rubber 22 mm, Plastic 25 mm, Plastic
Microphone Clip 	Spring-clip MHR-122	N/A
Quad Microphone Holder 	Accommodates Four Ball-style Microphones MMH-346 <i>Stand sold separately</i>	N/A
Microphone Clip Adapter 	US Thread to EU Thread MHD-3-BULK	N/A
Microphone Stand Adapter 	US Thread to EU Thread MHD-4	N/A

Description	Model	Qty
Neoprene Cable Wrap	5 ft x 5 in	
	WTI-375	N/A
• Eliminates unsightly cable clutter • Hook & loop sleeve for quick & easy adjustment		



Spiral Cable Wrap	10 ft x 0.8 in	
	WTI-385	N/A
• Spiral design allows cables to be inserted and removed anywhere along its run • Cut to desired length		



Split-loom Cable Organizer	Black Plastic, 1 in x 10 ft	
	WHD-410	N/A

Cable Tie	Hook & Loop 0.5 in x 8 in	
	WTI-508	50 pc

Hook and Loop Organizer	Black, 0.75 in x 8 in	
	WTI-148	5 pc
	WTI-148-100	100 pc Bulk
	Black, Center-pass Gap, 0.75 in x 8 in	
	WTI-148G	5 pc
	WTI-148G-20	20 pc
	WTI-148G-100	100 pc Bulk
	Black, Center-pass Gap, 0.75 in x 12 in	
	WTI-156G	5 pc
	WTI-156G-20	20 pc

Description	Model	Qty
Astro-Grip	Black, 0.75 in x 5 yd	
	WTI-501	N/A
	WTI-501-BULK	N/A

Astro-Grip hook and loop organizer makes it easy to keep signal and power cables separated and kink free for a stronger signal chain. Just cut to any length and reuse over and over again.

Label-A-Cable Cable Labels	White Vinyl	
	LBL-466	60 pc

Scribble Strip Console Tape	White, 0.75 in x 60 yd	
	LBL-505	N/A

Hosa's Scribble Strip console tape makes it easy to keep track of a mixer's input assignments—so you can focus on the mix. A snap to apply and just as easy to remove, no mix engineer should be without a roll.

Description	Model	Width
Gaffer Tape	Black, 30 yd	
	GFT-526BK	2 in
	Black, 60 yd	
	GFT-447BK	2 in
	GFT-450BK-BULK	3 in
	GFT-459BK-BULK	4 in
	White, 60 yd	
	GFT-447WH	2 in
	Yellow 60 yd	
	GFT-447YE	2 in

Description	Model	Length
Audio Cable Tester		
	CBT-500	N/A
<i>The CBT-500 Cable Tester diagnoses signal failure in cables terminated with any combination of XLR, Phone, Phono, and speakON® connectors, as well as DIN, Ethernet, 75-ohm BNC, and USB Type A to Type B cables.</i>		

LED Console Lamp**BNC, Requires 12 VDC**

LTE-503BNC	15 in
LTE-519BNC	18 in

XLR3M, Requires 12 VDC

LTE-503XLR	15 in
LTE-519XLR	18 in

Right-angle XLR4M, Requires 12 VDC

LTE-503XLR4	15 in
LTE-519XLR4	18 in

Incandescent Console Lamp**Right-angle XLR4M, Requires 12 VDC**

LTE-297XLR4	15 in
-------------	-------

Description**Model****Size****A/V Work Gloves****Full Finger with Grip, Touch Screen Tips****NEW!**

HGG-100-S

Small

HGG-100-M

Medium

HGG-100-L

Large

HGG-100-XL

Extra Large

- Touch screen synthetic leather tips
- Silicone tread pattern to maximize grip
- Elastic cuff with adjustable hook and loop strap
- Breathable mesh fabric keeps hands cool
- Machine washable

Face Mask**Reusable, Includes 1 Filter****NEW!**

FCM-105

N/A

- Washable & Reusable
- Polyester Outer Layer
- Cotton Inner Layer
- Includes one 5-Layer Filter

Description**Model****Volume****HAND-E-GLOVE****DIY Professional Hand Protective Lotion****NEW!**

EEP-102

2 oz

HAND-E-GLOVE by CAIG Labs is an easy-to-use lotion that takes the place of traditional gloves by forming a thin layer over the skin. This allows for normal touch sensitivity and removes with a simple wash of soap and water.

HAND-E-SCRUB**DIY Professional Hand Scrub****NEW!**

HES-103-2

2 oz

HAND-E-SCRUB by CAIG Labs cleans and conditions your hands, especially after using Hand-e-Glove Protective Lotion. Made with all-natural, organic ingredients.

Description	Model	Volume
Goby Labs Hand Sanitizer 	80% Denatured Ethyl Alcohol v/v GLZ-102-BULK	2 fl oz
NEW!	• Kills 99.99% of common illness causing bacteria • Approved by FDA (Reg. No. 12951614296)	
Goby Labs Guitar Polish 	Water-based GLP-104-BULK	4 fl oz
	• Lifts dust, fingerprints, and other contaminants from finished surfaces • Works without leaving a residue, unlike wax-based polishes • Safe and effective on satin and nitrocellulose lacquer finishes	
Goby Labs Fingerboard Conditioner 	Orange-powered GLC-104-BULK	4 fl oz
	• Orange oil cleans more gently than lemon oil • More convenient and effective than competing multi-step solutions • Safe and effective on rosewood, ebony, and pao ferro	
Goby Labs Guitar Care Kit 	1 x GLP 2-oz, 1 x GLC 2-oz, 1 x Microfiber Cloth GLGK-202	2 pc, 2 fl oz
	<i>The new Goby Labs Guitar Care Kit is the all-in-one solution to keep guitars in great condition. Each kit includes 2-ounce bottles of Goby Labs Guitar Polish and Fingerboard Conditioner plus a Goby Labs microfiber cloth to shine and protect a guitar's delicate finish.</i>	
Goby Labs Microphone Sanitizer 	Anti-bacterial GLS-104-BULK	4 fl oz
	• Anti-bacterial formula kills 99.99% of odor-causing germs (like hand sanitizer) • Ultra-fine pump atomizer results in less moisture on a mic than singing • Safely spray on the grille of a mic from about 12 inches away	
Goby Labs Headphone Cleaner 	Prevents wax buildup GLH-104-BULK	4 fl oz
	• Cleans and disinfects headphones • Prevents wax buildup • Keeps headphones in peak condition	
Goby Labs Equipment Care Kit 	1 x GLS 2-oz, 1 x GLH 2-oz, 1 x GSC 2-oz, 1 x Microfiber Cloth GLEK-302	3 pc, 2 fl oz
	<i>The new Goby Labs Equipment Care Kit is the all-in-one solution to keep equipment in peak condition. Each kit includes 2-ounce bottles of Goby Labs Microphone Sanitizer, Headphone Cleaner, and Screen Cleaner, plus a Goby Labs microfiber cloth for lint-free application.</i>	

Description**Model****Volume****CAIG DeoxIT Equipment Care Kit****1 x D100L, 1 x G100L, Assorted Brushes, Swabs, and Cloths**

DG100L-2DB

7.4 mL



DeoxIT Equipment Care Kit includes everything needed to keep gear working at its best. The kit includes full-power DeoxIT and DeoxIT Gold to clean, enhance, and protect connectors and equipment jacks along with lint-free brushes and cloths for an easy, no-mess application.

CAIG DeoxIT Contact Cleaner**5% Spray**

D5S-6

5 oz

**100% Dropper**

D100S-2

2 oz

DeoxIT is a fast-acting deoxidizing solution designed for use as a general treatment for connectors, contacts, and other metal surfaces. More than a contact cleaner, DeoxIT chemically improves electrical connections.

DeoxIT D5S-6 now features the innovative Perfect-Straw applicator. The new design has a permanently attached tube that swivels into place for a concentrated directional flow, yet easily swings back to allow a wide-angle spray.

CAIG DeoxIT GOLD Contact Enhancer**5% Spray**

G5S-6

5 oz



DeoxIT GOLD (formerly ProGold) is a unique conditioning solution designed for use in critical applications where only slight cleaning action is necessary. It is intended for use on new and recently cleaned surfaces only.

CAIG DeoxIT FaderLube**5% Spray**

F5S-H6

5 oz

**100% Dropper**

F100L-L25C

25 mL

DeoxIT FaderLube (formerly CaiLube) is a precision lubricant designed for use on conductive plastic and carbon compound controls. It is also ideal for use on conductive membrane switches and components.

CAIG DustALL Compressed Air

CCS-2000

10 oz

CCS-2000-BULK

10 oz



DustALL is a general purpose cleaner designed to quickly and safely remove dust, lint, and particles from hard to reach places on instruments, computers, and anywhere dust is a problem.

Description	Model	Option
Mogan Elite ICE Omni Earset	2.5 mm Omni Capsule, Beige	
	EIO-BG-AK	AKG
	EIO-BG-AT	Audio-Technica
	EIO-BG-EV	Electro-Voice
	EIO-BG-SE	Sennheiser
	EIO-BG-SH	Shure
The Mogan Elite ICE Omni Earset Microphone takes clarity to a new level. Featuring the exclusive Invisi-Clear Earpiece (ICE), it provides low visibility on stage with Mogan Elite sound and comfort.		

Mogan Elite Omni Earset	2.5 mm Omni Capsule, Beige	
	EXO-BG-AK	AKG
	EXO-BG-AT	Audio-Technica
	EXO-BG-EV	Electro-Voice
	EXO-BG-SE	Sennheiser
	EXO-BG-SH	Shure
The Mogan Elite Omni Earset Microphone delivers full-frequency vocal reproduction for the most discerning presenter. Featuring a Euro-designed, 2.5 mm Omni condenser element, it faithfully captures every nuance of a presentation in sparkling detail.		

Mogan Standard Omni Earset	3.0 mm Omni Capsule, Beige	
	EAO-BG-AK	AKG
	EAO-BG-AT	Audio-Technica
	EAO-BG-EV	Electro-Voice
	EAO-BG-SE	Sennheiser
	EAO-BG-SH	Shure
The Mogan Standard Omni Earset Microphone offers exceptional performance and unbeatable value. Featuring a 3.0 mm Omni condenser capsule, it delivers exceptional audio quality to budget-conscious presenters.		

Description	Model	Option
Mogan Cable 	AKG, 6 ft, Beige	
	CABLE-BG-1AK	1.2 mm OD
	CABLE-BG-2AK	2.0 mm OD

Mogan Cable 	Audio-Technica, 6 ft, Beige	
	CABLE-BG-1AT	1.2 mm OD
	CABLE-BG-2AT	2.0 mm OD

Mogan Cable 	Electro-Voice, 6 ft, Beige	
	CABLE-BG-1EV	1.2 mm OD
	CABLE-BG-2EV	2.0 mm OD

Mogan Cable 	Sennheiser, 6 ft, Beige	
	CABLE-BG-1SE	1.2 mm OD
	CABLE-BG-2SE	2.0 mm OD

Mogan Cable 	Shure, 6 ft, Beige	
	CABLE-BG-1SH	1.2 mm OD
	CABLE-BG-2SH	2.0 mm OD

Mogan Microphone Clip 	CLIP-BG	Beige
---	---------	-------

Mogan Microphone Screen 	5-Pack, 2.5 mm Insert	
	SCREEN-2.5-BG	Beige

Alpha Numeric Index	Page		
0-9			
3GT Series Cloth Guitar Cable	5	CCD-103 CD Controller Cable	46
50-ohm Coax	48	CCS-2000 DustALL Compressed Air	58
75-ohm Adapters	44	CDL-313 Digital Audio Interface	40
75-ohm Coax	44	CFP-000 Series Flat Guitar Patch Cable	6
		CFR-210 Stereo Breakout	24
		CFS Series Guitar Patch Cable	6
A		CGK-000 Series Edge Guitar Cable	5
AV Work Gloves	56	CGK-000R Series Edge Guitar Cable	5
AAA3FZ Switchcraft Connector	37	CGK-000RR Series Edge Guitar Patch Cable	6
AAA3MZ Switchcraft Connector	37	CGK-015RR Edge Guitar Cable	5
ACD-477 Universal Power Adapter	51	Cleaners & Conditioners	57
ADA-725 Phantom MIDI Cable	46	Cloth Guitar Cables	57
Adapters	28-30	CMI-100 Series Quad Microphone Cable	3
AES-800 Series AES/EBU Snake	39	CMK Bulk Microphone Cable	35
AES/EBU Cables	39	CMK-000AU Series Edge Microphone Cable	3
AES/EBU Snakes	39	CMM-100 Series Stereo Interconnect	14
Astro-Grip	54	CMM-100R Series Stereo Interconnect	15
ATT-448 Input Attenuator	4	CMM-100RR Series Stereo Interconnect	15
Attenuator	4	CMM-105C Coiled Stereo Interconnect	14
Audio Cable Tester	55	CMM-300 Series Mono Interconnect	15
Audio Switcher	33	CMM-500Y Series Hopscotch Patch Cables	32
		CMM-503 Stereo Interconnect	15
B		CMM-800 Series Unbalanced Patch Cables	32
Batteries	51	CMP-100 Series Mono Interconnect	15
Bluetooth Interface	39	CMP-150 Series Stereo Breakout	24
BNA-100 Connectors	38	CMP-300 Series Mono Interconnect	15
BNA-240 Connectors	38	CMR-200 Series Stereo Breakout	24
BNA-260 Connector	38	CMR-200R Series Stereo Breakout	24
BNC-06-100 Series Pro 75-ohm Coax	44	CMS-100 Series Stereo Interconnect	15
BNC-58-100 Series 50-ohm Coax	48	Component Video Cables	42
BNC-59-100 Series 75-ohm Coax	44	Composite AV Cables	43
BNP-100 Series Speaker Adapter	10	Compressed Air	58
BNR-106 Series 75-ohm Coax	44	Connectors	36-38
Bulk Cable	35	Console Lamps	55
		Console Tape	54
C		Control & Sync Cables	46
C3M-100 Series Camcorder AV Breakout	43	Couplers	28-30
Cable Tester	55	CPE Series Guitar Patch Cable	6
Cable Ties	54	CPP-100 Series Unbalanced Interconnect	13
Cable Wrap	54	CPP-100R Series Unbalanced Interconnect	14
CAIG Labs Cleaners & Conditioners	56	CPP-200 Series Stereo Interconnect	20
CAIG Labs Hand Protection	56	CPP-800 Series Unbalanced Patch Cables	32
Cat 5e Cables	48	CPP-800 Series Unbalanced Snake	21
Cat 6 Cables	48	CPR-100 Series Unbalanced Interconnect	14
CAT-500BK Series Cat 5e Cable	48	CPR-103R Unbalanced Interconnect	14
CAT-600BK Series Cat 6 Cables	48	CPR-200 Series Stereo Interconnect	20
CBT-500 Audio Cable Tester	55	CPR-800 Series Unbalanced Snake	21
		CRA-100 Series Unbalanced Interconnect	14
		CRA-200 Series Stereo Interconnect	20
		CRA-200AU Series Stereo Interconnect	20
		CRA-200DJ Series Stereo Interconnect	20
		CRA-200PB Series Stereo Interconnect	20
		CRA-200R Series Stereo Interconnect	20
		CRA-200RR Series Stereo Interconnect	20
		CRA-800 Series Unbalanced Snake	21
		CSS-100 Series Balanced Interconnect	13
		CSS-100R Series Balanced Interconnect	13
		CSS-100RR Series Balanced Interconnect	13
		CSS-200 Series Stereo Interconnect	20
		CSS-800 Series Balanced Patch Cables	32
		CSS-800 Series Balanced Snake	21
		CYA-103 Y Cable	26
		CYP-100 Series Y Cable	26
		CYR-100 Series Y Cable	26
		CYS-100 Series Y Cable	26
		CYX-400F Series Microphone Cable	24
		D	
		D100S-2 DeoxIT Contact Cleaner	58
		D5S-6 DeoxIT Contact Cleaner	58
		Daisy Chain Extension Cord	51
		DBD-300 Series Balanced Snake	21
		DBK-103 Synthesizer Controller Cable	46
		DBK-303 TDIF Dubbing Cable	46
		DeoxIT Cleaners & Conditioners	58
		Desktop Microphone Boom Arm	52
		Desktop Microphone Stand	52
		DG100L-2DB DeoxIT Equipment Care Kit	58
		DIB-443 Sidekick Passive DI Box	7
		Digital Audio Interfaces	40
		Direct Box	7
		DMT-414 DMX512 Terminator	49
		DMT-485 DMX512 Terminator	49
		DMX Cables & Adapters	49
		DMX-000 Series DMX512 Cable	49
		DMX-106 DMX512 Adapter	49
		DMX-300 Series DMX512 Cable	49
		DMX-306 DMX512 Adapter	49
		DMX-500 Series DMX512 Cable	49
		DOC-106 Insert Direct-out Adapter	23
		DRA-500 Series S/PDIF Coax	40
		Drive Series Bluetooth Audio Interface	39
		DTF-800 Series Balanced Snake	21

Alpha Numeric Index

Page

DTM-800 Series Balanced Snake	21	GLT-255 Ground Lifter	4	Guitar Stand	52
DTP-800 Series Balanced Snake	21	GLZ-102-BULK Goby Labs Hand Sanitizer	57	GXF-132 Adapter	29
Dual Interconnects	19-20	GMD-108 MIDI Coupler	45	GXI-183 Adapter	28
DustALL Compressed Air	58	GMM-105 Knucklebones Signal Splitter	32	GXI-235 Adapter	28
		GMM-303 Coupler	30	GXM-133 Adapter	29
E		GMP-112 Adapter	28	GXP-143 Adapter	28
EA0 Series Mogan Standard Microphones	59	GMP-113 Adapter	29	GXP-246 Adapter	28
Earset Microphones	59	GMP-272 Right-angle Adapter	30	GXR-134 Adapter	28
EBU Bulk AES/EBU Cable	35	GMP-386 Adapter	29	GXR-135 Adapter	28
EBU-000 Series AES/EBU Cable	39	GMP-467 Right-angle Adapter	30	GXX-144 Gender Changer	28
Economy Microphone Cable	3	GMP-471 Adapter	30	GXX-145 Gender Changer	28
Edge Guitar Cables	5	GMP-500 Adapter	30	GXX-195 Phase Reverser	28
Edge Microphone Cable	3	GMS-274 Power Switch	4		
Edge Speaker Cables	8	Goby Labs Cleaners & Conditioners	57	H	
EEP-102 HAND-E-GLOVE Protective Lotion	56	GOP-490 Fiber Optic Adapter	40	Hand Sanitizer	57
EIO Series Mogan Elite Ice Microphones	59	GPM-103 Adapter	30	Hand Scrub	56
EXO Series Mogan Elite Microphones	59	GPM-179 Adapter	30	HAND-E-GLOVE Protective Lotion	56
		GPP-105 Coupler	28	HAND-E-SCRUB Hand Scrub	56
F		GPP-146 Guitar Pedal Crank	6	HDMA-400 Series High Speed HDMI Cable	41
F100L-125C DeoxIT FaderLube	58	GPP-151 Right-angle Adapter	6	HDMC-400 Series High Speed HDMI Cable	41
F5S-H6 DeoxIT FaderLube	58	GPP-273 Right-angle Adapter	28	HDMD-400 Series Standard HDMI Cable	41
Face Mask	59	GPP-290 Adapter	28	HDMI Cables & Adapters	41
FCM-105 Hosa Face Mask with Filter	59	GPP-296 Guitar Pedal Coupler	6	HDMM-400 Series High Speed HDMI Cable	41
Fiber Optic Cables & Adapters	40	GPP-359 Adapter	28	HDS-100 Stereo Headphones	33
Fingerboard Conditioner	57	GPP-419 Adapter	29	Headphone Adapters	34
Flat Guitar Patch Cables	6	GPR-101 Adapters	29	Headphone Cables	33
Footswitches	7	GPR-104 Adapter	29	Headphone Cleaner	57
FSC Series Footswitches	7	GPR-123 Right-angle Adapters	29	Headphones	33
		GPR-484 Adapter	29	Headset/Mic Breakout Cables	34
G		GRA-101 Couplers	29	HES-103-2 HAND-E-SCRUB Hand Scrub	56
G5S-6 DeoxIT GOLD Contact Enhancer	58	GRA-259 Right-angle Adapters	29	HGFP-000 Series Pro Guitar Patch Cable	6
Gaffer Tape	54	GRF-341 Coupler	30	HGG-100 Series AV Work Gloves	56
Gender Changers	28	GRF-398 Adapter	29	HGTR-000 Series Pro Guitar Cable	5
GFT-400BK Series Gaffer Tape	54	GRM-114 Adapters	29	HGTR-000R Series Pro Guitar Cable	5
GFT-447WH Gaffer Tape	54	GRM-193 Adapter	30	HGTR-000RR Series Pro Guitar Patch Cable	6
GFT-447YE Gaffer Tape	54	Ground Lifter	4	HMIC-000 Series Pro Microphone Cable	3
GFT-526BK Gaffer Tape	54	GSK-100 Series Speaker Adapter	10	HMIC-000HZ Series Pro Microphone Cable	3
GGC-301 DE9 Coupler	46	GST-437 Guitar Stand	52	HMM-000 Series Pro Stereo Interconnect	12
GGC-451 VGA Coupler	42	GTR-200 Series Guitar Cable	5	HMP-000Y Series Pro Stereo Breakout	24
GHP-105 Headphone Adapter	34	GTR-200R Series Guitar Cable	5	HMR-000Y Series Pro Stereo Breakout	24
GLC-104 Goby Labs Fingerboard Conditioner	57	GTR-518 Tweed Guitar Cable	5	HMX-000Y Series Pro Stereo Breakout	24
GLEK-302 Goby Labs Equipment Care Kit	57	GTR-518R Tweed Guitar Cable	5	Hook and Loop Organizer	54
GLGK-202 Goby Labs Guitar Care Kit	57	Guitar Cables	5	Hopscotch Patch Cables	32
GLH-104 Goby Labs Headphone Cleaner	57	Guitar Patch Cables	6	HPE-300 Series Headphone Extension Cable	33
Gloves	59	Guitar Pedal Coupler	6	HPE-325C Coiled Headphone Extension Cable	33
GLP-104 Goby Labs Guitar Polish	57	Guitar Pedal Crank	6	HPP-000 Series Pro Unbalanced Interconnect	11
GLS-104 Goby Labs Microphone Sanitizer	57	Guitar Polish	57	HPP-000X2 Series Pro Stereo Interconnect	19

Alpha Numeric Index

Page

HPR-000 Series Pro Unbalanced Interconnect	12	Little Bro' Sub Snakes	22	MSB-382BK Short Microphone Stand	52
HPR-000X2 Series Pro Stereo Interconnect	19	LTE-297XLR4 Incandescent Console Lamp	55	MSB-446 Microphone Boom	52
HPX-000 Series Pro Unbalanced Interconnect	11	LTE-500 Series LED Console Lamps	55	MSB-521BK Microphone Stand	52
HRR-000 Series Pro Unbalanced Interconnect	12			MSC-000 Series Microphone Cable	3
HRR-000X2 Series Pro Stereo Interconnect	19	M		MST-224 Desktop Microphone Stand	52
HRX-000 Series Pro Unbalanced Interconnect	12	MBL-100 Series Economy Microphone Cable	3	MUS-439 Music Stand	52
HSS-000 Series Pro Balanced Interconnect	11	MCH-100 Series Microphone Cable	3	Music Stand	52
HSS-000X2 Series Pro Stereo Interconnect	19	MCL-100 Series Microphone Cable	3	MWS-225 Microphone Windscreen	53
HSX-000 Series Pro Balanced Interconnect	11	MHB-350 Patch Bay Module	31	MXL-369 Patch Bay Module	31
HXMM-000 Series Pro Headphone Extension	33	MHD-3 Microphone Clip Adapter	53	MXM-000 Series Microphone Cable	16
HXMS-000 Series Pro Headphone Adapter Cable	33	MHD-4 Microphone Stand Adapter	53	MXM-000RS Series Microphone Cable	16
HXP-000 Series Pro Unbalanced Interconnect	11	MHE-100 Series Headphone Extension Cable	33	MXX-000RS Series Microphone Cable	16
HXR-000 Series Pro Unbalanced Interconnect	12	MHE-100.5 Headphone Adapter	34	MXX-000SR Series Microphone Cable	16
HXS-000 Series Pro Balanced Interconnect	33	MHE-158 Headphone Adapter	34		
HXSM-000 Series Pro Headphone Adapter Cable	33	MHE-300 Series Headphone Adapter Cable	33	N	
HXSS-000 Series Pro Headphone Extension	33	MHR Series Microphone Clip	53	NA4LJX Neutrik Speaker Adapter	10
HXX-000 Series Pro Balanced Interconnect	11	Microphone Adapters	53	NBF-354 75-ohm Adapter	44
		Microphone Boom Arm	52	NBN-302 75-ohm Coupler	44
I		Microphone Cables	3	NBR-253 75-ohm Adapter	44
IBT-402 Drive Bluetooth Audio Interface	39	Microphone Clip Adapter	53	NBR-271 75-ohm Adapter	44
Impedance Transformers	4	Microphone Clips	53	NBR-321 75-ohm Coupler	44
Input Attenuator	4	Microphone Holders	53	NC3FD-L-1 Neutrik Connector	36
Insert Cables	23	Microphone Power Switch	4	NC3FRX Neutrik Connector	36
Insert Direct-out Adapter	23	Microphone Sanitizer	56	NC3FXX Neutrik Connector	36
Instrument Cables	5	Microphone Stand Adapter	53	NC3FXX-BAG Neutrik Connector	36
Instrument Couplers	6	Microphone Stands	52	NC3MD-L-1 Neutrik Connector	36
Instrument Footswitches	7	Microphone Windscreen	53	NC3MRX Neutrik Connector	36
Instrument Interfaces	7	Microphones	59	NC3MXX Neutrik Connector	36
Instrument Stands	52	MID-200 Series Dual MIDI Cable	45	NC3MXX-BAG Neutrik Connector	36
IRG Series Guitar Patch Cable	6	MID-300BK Series MIDI Cable	45	NDH-445 HDMI Adapter	41
		MID-300RD Series MIDI Cable	45	NDV-431 VGA Adapter	42
J		MID-300RR Series Right-angle MIDI Cable	45	Neoprene Cable Wrap	54
JMB-025 Connector	37	MID-500 Series Pro MIDI Cable	45	Network Cables	48
JMB-025W Connector	37	MIDI Cables & Adapters	45	Neutrik Connectors	36
		MIT-129 Impedance Transformer	4	NFF-339 75-ohm Couplers	44
K		MIT-156 Impedance Transformer	4	NL2FX Neutrik Connector	36
KBC-176 Keyboard Cover	53	MIT-176 Impedance Transformer	4	NL4FX Neutrik Connector	36
KBT-442 Keyboard Stand	52	MIT-435 Impedance Transformer	4	NL4MMX Neutrik Speaker Coupler	10
Keyboard Cover	53	MMH-346 Quad Microphone Holder	53	NL4MP Neutrik Connector	36
Keyboard Stand	52	MMK Bulk Microphone Cable	35	NL4MPR Neutrik Connector	36
Knucklebones	32	MMX-000 Series Microphone Cable	16	NP2RX Neutrik Connector	36
		MMX-000SR Series Microphone Cable	17	NP2X Neutrik Connector	36
L		MMX-100 Series Microphone Cable	17	NRF-264 75-ohm Adapter	44
Labels	54	Mogan Microphones & Accessories	59-60	NSV-252 S-Video Connectors	43
Lamps - LED & Incandescent	55	Monkey Bars Patch Cable Holder	31		
LBL-466 Label-A-Cable Cable Labels	54	Mono Interconnects	15		
LBL-505 Scribble Strip Console Tape	54	MSB-265 Desktop Microphone Boom Arm	52		

Alpha Numeric Index

Page

O

ODL-312 Digital Audio Interface	40
OPM-300 Series Pro Fiber Optic Cable	40
OPT-100 Series Fiber Optic Cable	40
Organizers	54

P

Patch Bays	32
Patch Cables	32
PCH-212 Monkey Bars Patch Cable Holder	31
PCN-200 Series Power Cord	50
PDC-373 Daisy Chain Extension Cord	51
PDR-369 Patch Bay	31
PDX Series Power Distribution Cord	51
Personal Protection	56
Phase Reverser	4
PHX-100F Connector	38
PHX-106F Low-voltage Adapter	30
PHX-106M Low-voltage Adapter	30
PHX-206F Low-voltage Adapter	30
PHX-206M Low-voltage Adapter	30
PHX-300F Connector	38
PLG-025 Connector	37
PLG-025S Connector	37
PLG-025W Connector	37
PLG-035 Connector	38
Power Cords & Adapters	50
Power Supplies	51
Power Switch	4
PowerCON Power Cords	50
PRG-370 Connector	38
PRG-370S Connector	37
Pro Dual Interconnects	19
Pro Guitar Cables	5
Pro Headphone Adapter Cables	33
Pro Headphone Extension Cables	33
Pro Microphone Cables	3
Pro Single Interconnects	11-12
Pro Speaker Cables	8-9
Pro Stereo Breakouts	24
Pro Stereo Interconnects	19
PRO-9V12 Procell 9V Batteries	51
PRO-AA4 Procell AA Batteries	51
PRO-AAA4 Procell AAA Batteries	51
Pro-Conex Stage Box Snakes	22
Protective Lotion	56
PWA-421 Power Adapter	50

PWA-486 Right-angle Power Adapter	51
PWC-100 Series Power Cord	50
PWC-100R Series Power Cord	50
PWC-178 Power Cord	51
PWC-400 Series Power Cord	50
PWD-400 Series Power Cord	50
PWL-400 Series Power Extension Cord	50
PWN-210 Power Cord	50
PWP-426 Power Cord	50
PWP-461 Power Cord	51
PWX-400 Series Power Extension Cord	51
PXF-100 Series Unbalanced Interconnect	14
PXM-100 Series Unbalanced Interconnect	14

Q

Quad Microphone Cable	3
Quad Microphone Holder	53

R

Racks	31
RCA-025 Connectors	38
Replacement Cables	60
RGB-500 Series VGA Breakout	42
RMC-180 Rack Mounting Hardware	31
RMT-152 19-inch Rack	31
RMT-254 19-inch Rack	31

S

S-Video Cables	43
S/PDIF Cables	40
S/PDIF Interfaces	40
Screen Cleaner	57
Scribble Strip Console Tape	54
SH-12X4 Series Pro-Conex Stage Box Snake	22
SH-16X4 Series Pro-Conex Stage Box Snake	22
SH-6X2 Series Little Bro' Sub Snake	22
SH-8X0 Series Little Bro' Sub Snake	22
SH-8X4 Series Pro-Conex Stage Box Snake	22
Single Interconnects	11-15
SKJ-200 Bulk Speaker Cable	35
SKJ-200 Series Edge Speaker Cable	8
SKJ-400 Bulk Speaker Cable	35
SKJ-400 Series Pro Speaker Cable	8
SKJ-600 Bulk Speaker Cable	35
SKJ-600 Series Speaker Cable	9
SKJ-600BB Series Speaker Cable	9
SKJ-600BN Series Speaker Cable	9

SKO-400 Bulk Speaker Cable	35
SKT-200 Series Edge Speaker Cable	8
SKT-200Q Series Edge Speaker Cable	8
SKT-400 Series Pro Speaker Cable	8
SKT-400Q Series Pro Speaker Cable	8
SKZ-600 Bulk Speaker Cable	35
SKZ-600 Series Speaker Cable	9
SKZ-600BB Series Speaker Cable	9
SKZ-600BN Series Speaker Cable	9
SLW-333 Audio Switcher	33
Snakes	21
Speaker Adapters	10
Speaker Cables	8-9
Speaker Coupler	10
Specialty Microphone Cables	16-18
Spiral Cable Wrap	54
SRC-200 Series Insert Cable	23
Stage Box Snakes	22
Stand Accessories	53
Stereo Breakouts	24-25
Stereo Interconnects	12, 19-20
STP-200 Series Insert Cable	23
STP-201RR Insert Cable	23
STP-800 Series Insert Snake	21
STX-100F Series Balanced Interconnect	13
STX-100M Series Balanced Interconnect	13
STX-800F Series Balanced Snake	21
STX-800M Series Balanced Snake	21
SVC-100AU Series S-Video Cable	43

T


Tape	54
TRACKLINK Guitar to USB Interface	5
TRACKLINK Mic to USB Interface	3
TRACKLINK MIDI to USB Interface	45
TRS-200 Series Insert Cable	23
TTQ-105 Balanced Interconnect	13
TTS-102 Balanced Interconnect	13
TTS-800 Series Balanced Patch Cables	32
TTX-103F Balanced Interconnect	13
TTX-103M Balanced Interconnect	13
Tweed Guitar Cables	5

U

Universal Power Adapter	51
USB Audio Interfaces	3, 5, 45
USB Cables	47

Alpha Numeric Index	Page		
USB-200AB Series High Speed USB Cable	47	XVM-100F Series Microphone Cable	17
USB-200AF Series High Speed USB Extension	47	XVM-100M Series Microphone Cable	17
USB-206AC High Speed USB Cable	47	XVM-305F Microphone Cable	18
USB-206AM High Speed USB Cable	47	XVM-305M Microphone Cable	18
USB-300AB Series SuperSpeed USB 3.0 Cable	47	XVS-100F Series Microphone Cable	18
USB-300AC Series SuperSpeed USB 3.0 Cable	47		
USB-306AC SuperSpeed USB 3.0 Cable	47	Y	
USB-306CC SuperSpeed USB 3.1 (Gen2) Cable	47	Y Cables	26-27
USM-422 MIDI to USB Interface	45	YAC-400 Series Power Extension Y Cable	51
USQ-110 Guitar to USB Interface	5	YIE-406 Power Y Cable	50
UXA-110 Microphone to USB Interface	3	YMM-107 Headset/Mic Breakout Cable	34
		YMM-108 Headset/Mic Breakout Cable	34
V		YMM-152 Stereo Breakout	25
VCC-300 Series Component Video Cable	42	YMM-232 Y Cable	27
VDF-100 Series 75-ohm Coax	44	YMM-261 Stereo Breakout	25
VGA Adapters	42	YMM-492 Air Travel Headphone Adapter	34
VGA Cables	42	YMP-137 Stereo Breakout	25
VGA-500 Series VGA Cable	42	YMP-233 Y Cable	27
VGM-500 Series VGA AV Cable	42	YMP-234 Y Cable	26
VSF-454 S-Video Breakout	43	YMP-434 Stereo Breakout	25
VSR-300 Series S-Video AV Cable	43	YMR-197 Stereo Breakout	25
		YPM-523 Stereo Breakout	25
W		YPP-106 Y Cable	26
WHD-410 Split-loom Cable Organizer	54	YPP-111 Y Cable	26
Wireless Audio	39	YPP-117 Stereo Breakout	24
Work Gloves	56	YPP-118 Y Cable	26
WTI-148 Hook and Loop Organizer	54	YPP-136 Stereo Breakout	25
WTI-148G Hook and Loop Organizer	54	YPP-308 Y Cable	26
WTI-156G Hook and Loop Organizer	54	YPR-102 Stereo Breakout	25
WTI-375 Neoprene Cable Wrap	54	YPR-103 Y Cable	27
WTI-385 Spiral Cable Wrap	54	YPR-124 Y Cable	27
WTI-501 Astro-Grip	54	YPR-131 Y Cable	27
WTI-508 Cable Tie	54	YPR-257 Stereo Breakout	25
		YRA-104 Y Cable	27
X		YRA-105 Y Cable	27
XFF-100 Series Balanced Interconnect	12	YRA-115 Y Cable	27
XLF-025 Connector	37	YRA-154 Stereo Breakout	25
XLF-035 Connector	37	YRA-167 Stereo Breakout	25
XLM-025 Connector	37	YXF-100 Series Y Cable	26
XLM-035 Connector	37	YXM-100 Series Y Cable	26
XLR-100 Series Balanced Interconnect	12		
XLR-800 Series Balanced Snake	21		
XRF-100 Series Unbalanced Interconnect	14		
CRM-100 Series Unbalanced Interconnect	14		
XRR-100 Series Balanced Interconnect	12		
XRR-318F Connector	37		
XRR-318M Connector	37		

Connect with us!



f   @HosaTech



Disclaimer

- Product specifications subject to change without notice
- All trademarks are the property of their respective owners

Limited Lifetime Warranty

All Hosa cables are adaptors purchased in the USA are warranted by Hosa Technology, Inc. to be free of defects in material and workmanship for the lifetime of the original purchaser.

All other Hosa products including but not limited to Mogan Microphones, headphones, hard-wired stage boxes, patch bays, footswitches, equipment racks, microphone stands, console lamps, and electronic components, are warranted to be free of defects in material and workmanship for one year from date of purchase.

In the event of such defects, Hosa will repair or, at our option, replace the warranted product if delivered to Hosa, prepaid, together with the sales receipt or other dated proof of purchase. This warranty excludes defects due to normal wear, abuse, shipping damage, or failure to use the product in accordance with the instructions.

Any warranty claims for products purchased outside the USA must be handled by the Hosa distributor in the area of purchase. Please contact us to request distributor information.

HOSA TECHNOLOGY, INC. SHALL NOT BE LIABLE FOR DAMAGES BASED UPON INCONVENIENCE, LOSS OF USE OF THE PRODUCT, LOSS OF TIME, INTERRUPTED OPERATION OR COMMERCIAL LOSS, OR ANY OTHER DAMAGES, WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

Hosa Technology , Inc.

6650 Caballero Blvd.

Buena Park, CA 90620

(T) 714.522.8878

www.hosatech.com

Monday - Friday, 8 am - 5 pm Pacific Time